





SAC Commercial Parts supplies

affordable, quality replacement parts for all leading European and Asian heavy and medium commercial vehicles as well as aftermarket parts and accessories for trailers, buses, transporters and light commercial vehicles.

SAC is a ONE-STOP-SHOP and therefore our product portfolio further includes a comprehensive selection of Lubricants and Automotive Fluids of unparalleled quality. For the convenience of our customers we also import a superior range of OEM authorised 12-Volt maintenance-free batteries ideally suited to keep up with the increased energy demands of the electronics-loaded vehicles of today.

Quality, compatibility and availably of products are paramount to our procurement decision-making process and nowhere is this more evident than with the range of parts and components as contained here within. Should you require additional information contact your nearest branch or visit www.sactrucks.co.za to enquire. Prices are available on request, Ts and Cs apply.



Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.

3







| 107 | | | 4 |
|-----|------|-----|----|
| 17/ | bric | anı | ľC |
| | | | |

- **Engine Oil** 129
- 131 **Gearbox Oil**
- **134 ATF**
- **135** Differential Oil
- 137 Grease
- 138 Brake Fluid
- 139 Anti-Freeze
- 141 Stop Leak
- 142 Additives
- 143 Cleaners
- 146 Consumables
- 149 **Batteries**
 - 150 **Up to 80 Amp Hours**
 - **152** 80 100 Amp Hours
 - **154** 100 150 Amp Hours
 - 156 150 Amp Hours & Higher
- Why SAC? 158
- **159 FAQs**
- **160** Disclaimer





Workshop

97 Park Avenue North, Highway Business Park, Rooihuiskraal, Centurion, Gauteng, 0157

Tel: +27 (0) 12 687 3600 Email: info@sactrucks.co.za



Head Office

97 Park Avenue North, Highway Business Park, Rooihuiskraal, Centurion, Gauteng, 0157

Tel: +27 (0) 12 687 3600 A/H: +27 (0) 12 687 3600 Email: parts.pta@sactrucks.co.za



Vereeniging

21 Telford Street, Duncanville, Vereeniging, Gauteng, 1939

Tel: +27 (0) 16 931 1022 A/H: +27 (0) 16 931 1022 Email: parts.vdb@sactrucks.co.za



Used Parts

97 Park Avenue North, Highway Business Park, Rooihuiskraal, Centurion, Gauteng, 0157

Tel: +27 (0) 12 687 3600 A/H: +27 (0) 63 690 0450 Email: usedpartsales@sactrucks.co.za



SCAN ME TO MAKE AN ENQUIRY



Durban

Unit 8 - 12, Redlyn Business Park, 5 Riverhorse Place, Riverhorse Valley, Durban, Kwazulu-Natal, 4017

Tel: +27 (0) 31 512 5063 A/H: +27 (0) 71 185 9530 Email: parts.dbn@sactrucks.co.za



Nelspruit

31 Waterfall Avenue, Riverside, Nelspruit, Mpumalanga, 1201

Tel: +27 (0) 13 010 1279 A/H: +27 (0) 76 384 8381 Email: parts.nlp@sactrucks.co.za



Alrode

Unit 18, Newmarket Commercial Park, 39 Heidelberg Avenue, Alrode, Alberton, Gauteng, 1449

Tel: +27 (0) 10 880 1364 A/H: +27 (0) 10 880 1364 Email: parts.alr@sactrucks.co.za



Middelburg

8 Summer Street, SAE Business Park, New Industrial Area, Middelburg, Mpumalanga, 1055

Tel: +27 (0) 13 244 1477 A/H: +27 (0) 13 244 1477 Email: parts.mdb@sactrucks.co.za





Polokwane

Unit 1, Bonanza Industrial Park, 5 Kalsiet Street, Magna Via, Polokwane, Limpopo, 0700

Tel: +27 (0) 15 298 8044 A/H: +27 (0) 15 298 8044 Email: parts.plk@sactrucks.co.za



Welkom

3 Nourse Street, Reitzpark, Welkom, Free State, 9459

Tel: +27 (0) 57 355 3251 A/H: +27 (0) 82 558 5572 Email: parts.wel@sactrucks.co.za



Port Elizabeth

27 Burman Road, Deal Party, Port Elizabeth, Eastern Cape, 6210

Tel: +27 (0) 41 880 0045 A/H: +27 (0) 82 418 6355 Email: parts.pe@sactrucks.co.za



Paarl

Unit 2, Cnr E.K. Green & Kaplan, Charleston Hill, Paarl, Western Cape, 7646

Tel: +27 (0) 21 879 5650 A/H: +27 (0) 21 879 5650 Email: parts.prl@sactrucks.co.za



Richards Bay

Unit 5, 4 Bauxite Bay, Alton, Richards Bay, 3900

Tel: +27 (0) 35 880 0180 A/H: +27 (0) 35 880 0180 Email: parts.rcb@sactrucks.co.za.



Klerksdorp

Cnr Meteor & Chromium Road, Uraniaville, Klerksdorp, North West, 2571

Tel: +27 (0) 18 469 9300 A/H: +27 (0) 76 053 0409 Email: parts.kld@sactrucks.co.za



Bloemfontein

Unit 1, 14A Lessing Avenue, Estoire, Bloemfontein, Free State, 9323

Tel: +27 (0) 51 433 1278 A/H: +27 (0) 51 433 1278 Email: parts.bfn@sactrucks.co.za



Cape Town

Unit 3, Concorde Park, 33 Concorde Crescent, Airport City, Cape Town, Western Cape, 7490

Tel: +27 (0) 21 385 0460 A/H: +27 (0) 21 385 0460 Email: parts.cpt@sactrucks.co.za



Centurion

97 Park Avenue North, Highway Business Park, Rooihuiskraal, Centurion, Gauteng, 0157

Tel: +27 (0) 12 687 3600 A/H: +27 (0) 12 687 3600 Email: parts.pta@sactrucks.co.za



Newcastle

24 Hardwick Street, Newcastle, 2940

Tel: +27 (0) 34 880 0242 A/H: +27 (0) 34 880 0242 Email: parts.nc@sactrucks.co.za.



Boksburg

Unit 2, 4 Herman Pieters Road, Hughes, Boksburg, Gauteng, 1459

Tel: +27 (0) 11 826 4866 A/H: +27 (0) 11 826 4866 Email: parts.bkb@sactrucks.co.za



Pomona

189 High Road, Bredell AH, Kempton Park, Gauteng, 1619

Tel: +27 (0) 10 880 4601 A/H: +27 (0) 66 137 3942 Email: parts.pom@sactrucks.co.za



Krugersdorp

7 Reseda street, Boltonia, Krugersdorp, Gauteng, 1739

Tel: +27 (0) 10 880 0012 A/H: +27 (0) 10 880 0012 Email: parts.kdp@sactrucks.co.za



East London

Unit 5, 32 Dyer St, Arcadia, East London, 5201

Tel: +27 (0) 43 880 0043 A/H: +27 (0) 43 880 0043 Email: parts.esl@sactrucks.co.za.







Filters




Lubricants



Brakes



Clutch




Batteries



Air



Electrical



Universal Parts



Cooling System



Fuel System



Turbo & Exhaust



Hub & Steering



Body



Engine Internal



Engine External



Suspension



Gearbox





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------|-----------------------------|---|
| SACHINO048 | | AIR FILTER | HINO 300 W04D |
| SACHIN0087 | | AIR FILTER | HINO 300 N04C, NEW TYPE EURO 5 |
| SACTOY185 | | AIR FILTER | DYNA 4-093 5L |
| SACHIN0078 | | AIR FILTER INNER & OUTER | HINO 500 J08C, PRE 2003 |
| SACHIN0050 | | AIR FILTER INNER & OUTER | DYNA J05C, HINO 300 N04C, OLD TYPE EURO 3 |
| SACHIN0051 | | AIR FILTER INNER & OUTER | HINO 500 J08C |
| SACHIN00058 | | AIR FILTER INNER & OUTER | HINO 700 E13C |
| SACHIN00062 | | AIR FILTER INNER & OUTER | HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 500 1326 J08E, HINO 500 NEW SHAPE |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------|--|-----------------------------|--|
| SACHIN0365 | | AIR FILTER INNER & OUTER | HINO 700 E13C |
| SACTOY0162 | | AIR FILTER KIT | DYNA J05C |
| SACHINO733 | | AIR FILTER KIT | HINO 500 P11C |
| FUEL FILTER SACHIN0047 | ten-salez (al) | FUEL FILTER | HINO 300 W04D, DYNA J05C |
| SACHIN00060 | The second secon | FUEL FILTER | HINO 500 1017 J05C, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACHIN0563 | | FUEL FILTER | HINO 500 J08E, NEW SHAPE |
| SACTOY187 | Ecratic Service Servic | FUEL FILTER | DYNA 4-093 |
| SACTOY0161 | | FUEL FILTER | DYNA J05C |



(



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------|--|------------------------|--|
| SACHIN0088 | | FUEL FILTER | HINO 300 N04C |
| SF1307 | | FUEL FILTER | HINO 500 1326 J08E, HINO 500 NEW SHAPE, HINO 700, EURO 4 |
| SACHIN00053 | | FUEL FILTER | HINO 700 E13C, HINO 500 P11C, FACE LIFT |
| SACHIN0085 | | FUEL FILTER | HINO 500 J08E, FL8/FG8 |
| S800067 | | FUEL FILTER | HINO 300 N04C |
| SACHIN0086 | SOLICION STATE OF STA | FUEL FILTER SPIN ON | HINO 700 E13C |
| OIL FILTER SACHIN00052 | | OIL FILTER | HINO 700 E13C, HINO 500 P11C, FACE LIFT |
| SACHIN00054 | | OIL FILTER | HINO 700 E13C |



12



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|--|-----------------------|--|
| SACHIN00059 | PIEL-SAME | OIL FILTER | HINO 500 1626 J05C, HINO 500 33-254 J08C |
| SACHIN0082 | SAKURA BEL | OIL FILTER | HINO 300 W04D, HINO 300 N04C |
| SACTOY0160 | SUCURA WEST OF THE STATE OF TH | OIL FILTER | DYNA J05C |
| SACTOY186 | SAKURA C. | OIL FILTER | DYNA 4-093 SL PW |
| SACHIN0562 | The second secon | OIL FILTER | HINO 500 J08E, HINO 1627 J08E, FACE LIFT |
| S800066 | | OIL FILTER | HINO 300 N04C |
| SACHIN0615 | | OIL FILTER BYPASS | HINO 500 P11C, FACE LIFT |
| SACHIN0081 | ISC. 1011 | GEARBOX OIL FILTER | HINO HC 700 ZF16S221 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------------|--|---|--|
| WATER TRAP FILTER SACHIN0084 | | WATERTRAP FILTER | HINO 300 N04C, NEW TYPE EURO 5 |
| SACHIN0049 | | WATERTRAP FILTER | HINO 300 N04C, OLD TYPE EURO 5 |
| S800068 | | WATERTRAP FILTER | HINO 300 N04C |
| SACHIN0579 | SECTION STATES OF THE STATES O | WATERTRAP FILTER WITH GLASS BOWL | HINO 500 1017 J05C, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACHIN00061 | 1961-0-198 Mandas Mandas | WATERTRAP FILTER WITHOUT GLASS BOWL | HINO 500 1017 J05C, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| 212238 | Fing Filter 2 - 1254 | WATER SEPARATOR FILTER | HINO 1077 J05C |
| HOUSINGS & COVERS 112280 | | FUEL FILTER WATER SEPARATOR HOUSING | HINO 500 |
| FILTER OTHER SACHINO0077 | | POWER STEERING FILTER | HINO 700 E13C |



Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.

SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 14



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------|--|------------------|---------------------|
| 131809 | The state of the s | AIRDRYER FILTER | HINO 700, EURO 4 |
| HYDRAULIC FILTER | | | |
| SACHIN0739 | | HYDRAULIC FILTER | HINO 700 2845 |



Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|-------|-------------------------------------|---|
| WHEEL CYLINDER SACHIN00019 | | REAR WHEEL CYLINDER R/H | HINO 500 1017 J05C, HINO 500 1326 J08E |
| SACHIN00020 | | REAR WHEEL CYLINDER R/H | HINO 500 1017 J05C, HINO 500 1326 J08E |
| 47550371120E | | REAR WHEEL CYLINDER R/H FRONT | HINO 300 614 |
| 47560370820E | | REAR WHEEL CYLINDER R/H REAR | HINO 300 614 |
| SACHIN00015 | | REAR WHEEL CYLINDER L/H | HINO 500 1017 J05C, HINO 500 1326 J08E |
| SACHIN00016 | | REAR WHEEL CYLINDER L/H | HINO 500 1017 J05C |
| 47580370720E | | REAR WHEEL CYLINDER L/H REAR | HINO 300 614 |
| SACHIN0008 | | REAR WHEEL CYLINDER L/H | DYNA 7-145 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|--------------------------|-----------------------------------|--------------------|
| 4758037172 4756037182 | | REAR WHEEL CYLINDER LOWER L/H | HINO 300 915 |
| 4750037162 | Chas carling | REAR WHEEL CYLINDER LOWER R/H | |
| 4757037112 | 13m 13m | REAR WHEEL CYLINDER UPPER L/H | HINO 300 915 |
| 4755037152 | | REAR WHEEL CYLINDER UPPER R/H | |
| SACHIN00011 | | REAR WHEEL CYLINDER | HINO 300 915 |
| SACHIN0005 | | FRONT WHEEL CYLINDER R/H | DYNA 7-145 |
| SACHIN0006 | | FRONT WHEEL CYLINDER R/H | DYNA 7-145 |
| SACHIN0007 | | FRONT WHEEL CYLINDER L/H | DYNA 7-145 |
| SACHINO0017 SACHINO0018 | | FRONT WHEEL CYLINDER L/H | HINO 500 1017 J05C |
| | | FRONT WHEEL CYLINDER R/H | |
| 4754037160 | 4754037160 4752037160 | FRONT WHEEL CYLINDER LOWER L/H | HINO 300 915 |
| 4752037160 | | FRONT WHEEL CYLINDER LOWER R/H | |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|---|--------------------|
| 4753037160 4751037160 | | FRONT WHEEL CYLINDER UPPER L/H FRONT WHEEL CYLINDER UPPER R/H | HINO 300 915 |
| SACHIN0721 SACHIN0720 | | FRONT WHEEL CYLINDER L/H FRONT WHEEL CYLINDER R/H | HINO 500 FF1 |
| S800087 | | HANDBRAKE WHEEL CYLINDER WEDGE KIT | HINO 500 FF1 |
| S830014 | | BRAKE MASTER CYLINDER | DYNA 6.104 |
| S800071 | | BRAKE MASTER CYLINDER | HINO 300 |
| BRAKE EXPANDER | | EXPANDER | |
| SACHIN0042 SACHIN0043 | | HANDBRAKE L/H EXPANDER HANDBRAKE R/H | HINO 500 FF1 |
| | | REAR BRAKE EXPANDER L/H | |
| SACHIN0044 SACHIN0045 | | REAR BRAKE EXPANDER R/H | HINO 500 FF1 |
| SACISUMC0080 | | BRAKE EXPANDER | HINO 500 1626 J08C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------------------|--------------------|----------------------------|
| SACHIN0691 | The second second | BRAKE EXPANDER | HINO 700 2845 |
| BRAKE DRUM | | | |
| S800053 | | REAR BRAKE DRUM | HINO 300 614 DYNA 5-104 |
| SACHIN0370 | | REAR BRAKE DRUM | HINO 500 1017 |
| SACHIN0706 | | REAR BRAKE DRUM | HINO 500 13-234 |
| SACHIN0636 | The statements | REAR BRAKE DRUM | HINO 500 2628 |
| SACHIN00045 | | REAR BRAKE DRUM | HINO 700 2845 |
| SACTOY0153 | | REAR BRAKE DRUM | DYNA 6-104 HINO 300 |
| SACHIN00045 | | REAR BRAKE DRUM | HINO 700 2845 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------|---------------------|--|
| \$8000056 | | REAR BRAKE DRUM | HINO 500 1017 |
| SACHIN00047 | | REAR BRAKE DRUM | HINO 500 1326 |
| S800049 | | FRONT BRAKE DRUM | HINO 300 915 DYNA 6-104 DYNA 7-145 |
| S800023 | | FRONT BRAKE DRUM | HINO 500 13.236 |
| S800041 | | FRONT BRAKE DRUM | HINO 500 13.236 |
| SACHIN00046 | | FRONT BRAKE DRUM | HINO 500 1626 |
| SACHIN0684 | | FRONT BRAKE DRUM | HINO 700 2841 |
| SACHIN00044 | | FRONT BRAKE DRUM | HINO 700 2845 HINO 500 2628 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------------------|-------|---------------------------|----------------------------|
| S800012 (S8000032) | | FRONT Brake disc | HINO 300 614 DYNA 5-104 |
| \$830013 | | FRONT BRAKE DISC | HINO 300 814 |
| 0421.20 | | FRONT BRAKE PAD | DYNA 4-093 5L |
| SACTOY0171 (S80000033) | | FRONT BRAKE PAD | DYNA 7-105 HINO 300 614 |
| CABLE | | | |
| SACTOY194 | | HANDBRAKE CABLE | DYNA 4-093 |
| SACHIN0578 | | HANDBRAKE CABLE | HINO 300 915 N04C |
| BRAKE SHOE | | | |
| S800052 | | REAR BRAKE SHOE KIT | HINO 300 614 |
| 04495370600E | | REAR BRAKE SHOE KIT | HINO 300 915 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------|--|---------------------------------|--|
| 04494370210E | | FRONT BRAKE SHOE KIT | HINO 300 915 |
| BRAKE SPRING | | | |
| SACHIN0728 | - Common - C | FRONT BRAKE SPRING | HINO 500 FG1 |
| SACHIN0730 | | FRONT BRAKE SPRING | HINO 700 SS1 |
| SACHIN0729 | | REAR BRAKE SPRING | HINO HC 700 SS1 |
| SACHIN0731 | | REAR BRAKE SPRING | HINO HC 700 SS1 |
| BRAKE BOOSTER | 1 | | |
| \$800082 | | FRONT BRAKE BOOSTER | HINO 500 2836 |
| SACHIN008 | | FRONT BRAKE BOOSTER T24 | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 / 33-254, HINO 700 2845 |
| SACHIN007 | | REAR BRAKE BOOSTER T24/30 | HINO 700 2845 |



SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 22



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------|-------|------------------------------|--|
| S800079 | | REAR BRAKE BOOSTER | HINO 500 2836 |
| 35300601620AK | | REAR BRAKE BOOSTER T24/24 | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 / 33-254 |



Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------|-------|--------------------------------------|---|
| CLUTCH KIT SACHIN00051 | | CLUTCH KIT (RELEASE BEARING 63MM) | HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACHIN0738 | | CLUTCH KIT (RELEASE BEARING 63MM) | HINO 500 1017 J05C |
| SACHIN0369 | | CLUTCH KIT (RELEASE BEARING 65MM) | HINO 500 MF065 HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACHIN0616 | | CLUTCH KIT (RELEASE BEARING 65MM) | HINO 500 1017 J05C |
| SACHIN0026 | | CLUTCH KIT (RELEASE BEARING 70MM) | HINO 500 33-254 J08C |
| SACHIN0070R | | CLUTCH KIT | HINO 700, FLAT FLYWHEEL, 16 AS 2630 |
| SACHIN0096R | | CLUTCH KIT | HINO 700 ZF16S221, 16 S221 GEARBOX |
| SACTOY0168 | | CLUTCH KIT | DYNA 4-093 5L DYNA 452 |




Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|-------|---------------------------------|------------------------|
| S830012 | | CLUTCH KIT | DYNA 452 |
| SACTOY0182 | | CLUTCH KIT (300MM 14 SPLINE) | DYNA 7-145 HINO 300 |
| SACTOY188 | | CLUTCH KIT (300MM 14 SPLINE) | DYNA W04D |
| S800074 | | CLUTCH KIT | HINO 500 FM2 P11C |
| SACHIN0557 | | CLUTCH KIT | HINO 700 2841 |
| SACHIN0367 | | CLUTCH KIT PULL TYPE | HINO 700 HX07 |
| SACHIN0710 | | CLUTCH KIT PULL TYPE | HINO 700 HX07 |
| SACHIN0027 | | DOUBLE CLUTCH KIT | HINO 700 ZF16S221 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|---------------------------|---|
| SACHIN0711 | | CLUTCH KIT | HINO 700 2841 |
| SACHIN0059 PILOT BEARING | | CLUTCH KIT 6 SPEED | HINO 300 N04C, 6 SPEED GEARBOX |
| SACHINO0050 | | FLYWHEEL PILOT BEARING | HINO 500 33-254 J08C, HINO 500 1626 J08C |
| 6203-2RSH | | FLYWHEEL PILOT BEARING | HINO 300 N04C, |
| SACHINO0025 | | FLYWHEEL | HINO 700 E13C |
| SACHIN0037 | | FLYWHEEL (380MM) | HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACHIN0054 | | FLYWHEEL | HINO 300 N04C 915, 6 SPEED |
| SACTOY211 | | FLYWHEEL | DYNA W04D |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------|-------|----------------------|---|
| SACHIN0646 | | FLYWHEEL (8 HOLE) | HINO 300 614/714/814, N04C, 5 SPEED |
| SACHIN0671 | | FLYWHEEL | HINO 700 E13C 16AS2630, GEARBOX |
| S830005 | | FLYWHEEL | DYNA J05C |
| S800013 | | FLYWHEEL (6 HOLE) | HINO 300 N04C |
| SACHIN0036 | | FLYWHEEL (350MM) | HINO 500 1017 |
| SACHIN0024 | | FLYWHEEL | HINO 500 J05C |
| SACHIN0680 CLUTCH FORK | | FLYWHEEL | HINO 500 J08C |
| 31204370100E | | CLUTCH FORK | HINO 300 614 |



Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------|-------|------------------------------------|----------------------------|
| 31204370400E | | CLUTCH FORK | HINO 300 814 |
| MASTER CYLINDER | 9 | | |
| SACHIN0737 | | CLUTCH MASTER CYLINDER | HINO 300 915 |
| SACHIN000014 | | CLUTCH MASTER CYLINDER | HINO 300 915 DYNA 7-145 |
| SACHIN0320 | | CLUTCH MASTER CYLINDER | HINO 500 1626 |
| \$800101 | | CLUTCH MASTER CYLINDER | HINO 500 1626 |
| SLAVE CYLINDER | | | |
| SACHIN00013 | | CLUTCH SLAVE CYLINDER | HINO 300 DYNA 7-145 |
| CLUTCH SERVO | | | |
| SACHIN0650 | | CLUTCH SERVO (90MM LONG STROKE) | HINO 500 33254 |
| K013727N50 | | CLUTCH SERVO | HINO 700 16AS2630 |




Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------------------|-------|--|-------------------|
| SACIVE0009 | | CLUTCH SERVO | HINO 700 165221 |
| \$160005 | | CLUTCH BOOSTER | HINO 700 HX07 |
| SACCS29 | | CLUTCH BOOSTER (90MM STRONG STROKE) | HINO 700 HX07 |
| RELEASE BEARING SACHIN0718 | | CLUTCH RELEASE BEARING | HINO 500 FS6109 |
| SACHIN0717 | | CLUTCH RELEASE BEARING | HINO 500 FS6109 |
| SACHIN0719 | | CLUTCH RELEASE BEARING | HINO 500 FS6109 |





IAIR




| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------|-------|-----------------------------|---|
| AIRDRYER SACAIRD16 | | AIRDRYER | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACAIRD18 | | AIRDRYER | HINO 700 EURO 3 |
| SACHIN0604 | | AIRDRYER | HINO 700 EURO 4 |
| AIR VALVE | | | |
| RL3515XB01 | | PROTECTION VALVE | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACHIN005 | | AIR BRAKE CHECK VALVE | HINO 700 2845 E13C |
| 665158 | | QUICK RELEASE VALVE | HINO 700 E13C |
| SACHIN004 | | BRAKE PRESSURE REGULATOR | HINO 700 2845 |
| RL3514CF | | FOOT BRAKE VALVE | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |



IAIR



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|--|---------------------------|---|
| SACREV08 | | REAR AXLE RELAY VALVE | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| RL3518RC | | AIR BRAKE RELAY VALVE | HINO 500 1326 HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACFV21 | | FOOT BRAKE VALVE | HINO 700 E13C HINO 700 2845 |
| SACHIN0605 | | 4 WAY VALVE | HINO 700 2845, EURO 4 |
| SACHIN037 | | HAND BRAKE VALVE | HINO 500 1626 |
| \$160003 | | HAND BRAKE VALVE | HINO HC 700 2845 |
| 551048 | | PRESSURE CONTROL VALVE | HINO 700 |
| S800020 | Service Control of the Control of th | PRESSURE REGULATOR | HINO 500 13.236 |



(

I AIR



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|-------|------------------------------|---|
| SACHIN0606 | | FRONT CAB LEVELING VALVE | HINO 700 2845 |
| 244076 | | TRAILER CONTROL VALVE | HINO 700 |
| SACHIN0394 | | COMPRESSOR EXHAUST VALVE | HINO 500 J08C |
| SACHIN0393 | | COMPRESSOR INTAKE VALVE | HINO 500 J08C |
| SACHIN049 | | COMPRESSOR UNLOADER VALVE | HINO 500 J08C |
| SACHIN003 | | AIR BRAKE RELAY VALVE | HINO 500 1626 J08C HINO 500 1017 J05C HINO 500 1326 J08E HINO 500 33-254 J8E |
| \$160025 | 907 | AIR BRAKE CHECK VALVE | HINO 300 915 HINO 700 2845 |
| SACHIN0581 | | REAR AIR BELLOW | HINO 700 2845 |



AIR



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|-------|-----------------------------------|---|
| SACHIN0077 | | FRONT CAB AIR BELLOW | HINO 700 |
| SACHIN0569 (SACHIN0076) | | REAR CAB AIR BELLOW | HINO 500 1326, HINO 500 1626, HINO 500 33-254 HINO 700 |
| SACHIN0311 | | SEAT AIR BELLOW SHOCK ABSORBER | HINO 500 1626 |
| AIR COMPRESSOR | | | |
| SACHIN0383 | | COMPRESSOR | HINO 700 E13C |
| SACHIN0384 | | COMPRESSOR | HINO 500 J08E |
| SACHIN0385 | | COMPRESSOR | HINO 500 J05C |
| SACHIN0386 | | TWIN COMPRESSOR | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| S800029 | | TWIN COMPRESSOR | HINO 500 J08C |



(

I AIR



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|---|---------------------------|-------------------|
| COMPRESSOR HEAD SACHIN0392 | | TWIN COMPRESSOR HEAD | HINO 500 J08C |
| SACHIN0387 | | COMPRESSOR HEAD | HINO 700 E13C |
| SACHIN0389 | | COMPRESSOR HEAD | HINO 500 J08E |
| SACHIN0391 | | COMPRESSOR HEAD | HINO 500 J08C |
| VALVE PLATE | | | |
| SACHIN0388 | | COMPRESSOR VALVE PLATE | HINO 700 E13C |
| SACHIN0390 | | COMPRESSOR VALVE PLATE | HINO 500 J08E |
| CONROD | | | |
| SACHIN0403 | | COMPRESSOR CONROD | HINO 500 J08C |
| PISTON & LINER | | | |
| SACHIN0397 | A CHARMAN AND AND AND AND AND AND AND AND AND A | COMPRESSOR PISTON | HINO 500 J08C |



•

IAIR



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|--|----------------------------|-------------------|
| SACHIN0396 | | COMPRESSOR PISTON | HINO 700 E13C |
| SACHIN0398 | | COMPRESSOR PISTON | HINO 500 J08C |
| SACHIN0402 | | COMPRESSOR LINER TWIN | HINO 500 J08C |
| SACHIN0399 | | COMPRESSOR LINER | HINO 700 E13C |
| SACHIN0400 | | COMPRESSOR LINER | HINO 500 J08E |
| SACHIN0401 | The state of the s | COMPRESSOR LINER | HINO 500 J08C |
| SACHIN0380 | | COMPRESSOR PISTON RINGS | HINO 500 J08C |
| SACHIN0381 | | COMPRESSOR PISTON RINGS | HINO 500 J08C |


Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.

(

I AIR



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------|--|-----------------------------|-------------------|
| SACHIN0382 | A STATE OF THE PARTY OF THE PAR | COMPRESSOR PISTON RINGS | HINO 700 E13C |
| GASKETS & SEALS | - | | |
| SACHIN050 | | COMPRESSOR HEAD GASKET | HINO 700 E13C |
| SACHIN0395 | | COMPRESSOR HEAD GASKET | HINO 500 J08E |
| SACHIN00632 | | COMPRESSOR HEAD GASKET | HINO 500 J08C |
| SACHIN00631 | | COMPRESSOR BOTTOM GASKET | HINO 500 J08C |








IELECTRICAL



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|-----------------|-------------|--|
| SACTOY198 | | STARTER | DYNA W04D |
| SACHIN0040 | STINDEST ET | STARTER | DYNA J05C, HINO 300 N04C, HINO 500 1017 J05C |
| SACHIN0041 | Toward Property | STARTER | HINO 700 E13C |
| SACTOY0179 | | STARTER | DYNA 4.093 5L |
| S800016 | | STARTER | HINO 300 N04C |
| S800045 | | STARTER | HINO 500 J08C HINO 500 J08E |
| ALTERNATOR | | | |
| SACTOY0165 | | ALTERNATOR | DYNA J05C, HINO 500 1017 J05C |
| SACHIN0039 | CHARLES | ALTERNATOR | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |



IELECTRICAL



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------------------------------|-------|-------------------------------------|-------------------------------|
| SACHIN0357 | | ALTERNATOR | HINO 300 W04D |
| S800017 | O E | ALTERNATOR | HINO 300 N04C |
| S160044 SENSORS, SOLENOIDS & SWITCHES | | ALTERNATOR | HINO 700 E13C |
| 499000-6160 | | COMMON RAIL FUEL SENSOR | HINO 700 2845 E13C, EURO 3 |
| SACHIN0665 | | COMMON RAIL FUEL SENSOR | HINO 700 E13C |
| S800015 | | INTERCOOLER HOSE AIR TEMP SENSOR | HINO 300 614 |
| SACHIN0629 | | CRANK & CAM SENSOR | HINO 500 J08E HINO 700 |
| S800034 | | RADIATOR FAN SENSOR | HINO 500 J08E |




SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 38

IELECTRICAL



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------------|--|----------------------------------|-------------------|
| S8342012500E (S8342-01250) | | TEMPERATURE SENSOR | HINO 500 JO8C |
| \$800084 | | FUEL LEVEL SENSOR | HINO 500 1626 |
| S160029 | | FUEL LEVEL SENSOR | HINO 700 2845 |
| 83530E0250OE | GREAT STATE OF THE PARTY OF THE | OIL PRESSURE SWITCH | HINO 300 N04C |
| SACHIN0297 | | WINDOW SWITCH L/H | HINO 500 1626 |
| SACHIN0298 | The state of the s | SWITCH CONTROL PANEL DOOR R/H | HINO 500 1626 |
| FLASHER UNIT 81980372710E | | FLASHER UNIT | HINO 300 915 |
| S800054 | \$1980-1930 \$6.88 ns.fmin | FLASHER UNIT | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|-----------------------|--|
| RADIATOR SACHIN0052 | | RADIATOR | HINO 500 1017 J05C |
| SACHIN038 | | RADIATOR | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACTOY183 | | RADIATOR | DYNA J05C |
| SACTOY190 | | RADIATOR | DYNA W04DT |
| SACHIN053 | | RADIATOR | HINO 300 N04C 714/814/815/915 |
| SACHIN0097 | | RADIATOR | HINO 700 PRE 2015 EURO 3 |
| SACTOY242 (SACTOY189) | | RADIATOR | DYNA 4-093 5L |
| S800058 | | RADIATOR AUTOMATIC | HINO 300 614 |




Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------|--|--------------|--------------------------------|
| SACHIN0649 | | RADIATOR | HINO 300 614 |
| SACHIN0583 | | RADIATOR | HINO 500 1017 J05C |
| SACHIN0582 | | RADIATOR | HINO 700 2845 EURO 4 |
| SACHIN0734 | | RADIATOR | HINO 500 FM2P P11C |
| 16401E00510E | A CAUTON ATTENDON ATTENDON A STANDANIA A BRIMANIE BIS BIS ALL | RADIATOR CAP | HINO 300 N04C HINO 300 W04D |
| INTERCOOLER | | | |
| SACHIN039 | | INTERCOOLER | HINO 500 1626 |
| SACHIN040 THERMOSTAT | | INTERCOOLER | HINO 700 2845 |
| SACHIN0592 | | THERMOSTAT | HINO 300 N04C |



Visit www.sactrucks.co.za to locate your nearest branch.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|-------------|---------------------------------|
| SACHIN0593 | | THERMOSTAT | HINO 500 J05C |
| SACTOY196 | | THERMOSTAT | DYNA W04DT |
| SACHIN0662 (S800124) | | THERMOSTAT | HINO 500 J08C |
| SACHIN0663 | | THERMOSTAT | HINO 700 E13C |
| FAN BLADE | | | |
| SACHIN0226 | | FAN BLADE | HINO 700 2845 |
| SACHIN0315 | | FAN BLADE | HINO 500 J08C, HINO 500 J08E |
| SACHIN0363 | | FAN BLADE | HINO 300 N04C |
| SACHIN0601 | | FAN BLADE | HINO 500 J05C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|----------------------|--|
| VISCO CLUTCH SACTOY0164 | | VISCO CLUTCH | DYNA 4-093 |
| SACHIN0599 | | VISCO CLUTCH | HINO 300 614 N04C, HINO 300 714, HINO 300 814, HINO 300 914 |
| SACHIN0600 | | VISCO CLUTCH | HINO 500 J05C |
| SACHIN0035 | | VISCO CLUTCH | HINO 500 J08C |
| S800055 | | VISCO FAN CLUTCH | HINO 500 J08E |
| SACHIN0034 COWLING | | VISCO FAN CLUTCH | HINO 700 E13C |
| SACHIN0227 | | FAN COVER | HINO 700 2845 |
| 16711782800E | | FAN COVER COWLING | HINO 300 614 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|-------|---------------------|-------------------|
| SACHIN0323 | | RADIATOR COWLING | HINO 500 1626 |
| WATER PUMP | | | |
| SACHIN0029 | | WATER PUMP | HINO 500 J08C |
| SACTOY0181 | | WATER PUMP | DYNA J05C |
| SACHIN0030 | | WATER PUMP | HINO 700 E13C |
| SACHIN0031 | | WATER PUMP | HINO 500 J08E |
| SACHIN0032 | | WATER PUMP | HINO 300 N04C |
| SACTOY0091 | | WATER PUMP | DYNA W04DT |
| SACHIN0028 | | WATER PUMP | HINO 300 N04C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------------|-------|-------------------------|-------------------|
| S800004 | | WATER PUMP | HINO 500 J05C |
| SACHIN035 | | WATER PUMP | HINO 500 J08C |
| S830028 | | WATER PUMP | DYNA 4.093 |
| HOSES & PIPES | | | |
| SZ910-44G15 | | RADIATOR HOSE BOTTOM | HINO 700 2848 |
| SZ910-44F98 | | RADIATOR HOSE TOP | HINO 700 2848 |
| 9002-39756 | | INTERCOOLER HOSE | HINO 700 2848 |
| 9002-39758 WATER TANK | | INTERCOOLER HOSE | HINO 700 2848 |
| WAILITIANN | | | |
| SACHIN0241 | | RADIATOR WATER TANK | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------|-------|----------------------------|-------------------|
| SACHIN0603 | | RADIATOR WATER TANK | HINO 700 2845 |
| EXPANSION TANK | | | |
| SACHIN0222 | | RADIATOR EXPANSION TANK | HINO 700 2845 |
| 16470780800E | | EXPANSION TANK | HINO 300 614 |








IHYDRAULIC



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------|-------|---------------------------|-------------------|
| CAB TILT PUMP | | | |
| SACHIN0590 | | CAB TILT PUMP | HINO 700 2845 |
| CAB TILT CYLINDER | • • | | |
| SACHIN0589 | | CAB TILT CYLINDER | HINO 700 2845 |
| BUSHES | | | |
| \$160031 | | FRONT CAB TILT BUSHING | HINO 700 2845 |





IFUEL SYSTEM




| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------------|---------------|-------------------------------|--------------------------|
| INJECTOR SACHIN00069 | 8 | UNIT INJECTOR | HINO 700 E13C, EURO 3 |
| SACHIN00082 | | UNIT INJECTOR | HINO 500 J08E |
| S160028 | | UNIT INJECTOR | HINO 700 E13C |
| \$160022 | | INJECTOR SLEEVE | HINO 700 E13C |
| GASKETS & SEALS 11213780900E | | CYLINDERHEAD INJECTOR SEAL | HINO 300 N04C |
| 23681780300E | | INJECTOR FUEL PIPE SEAL | HINO 300 N04C |
| PUMP SACHIN0073 | | FEED PUMP | HINO 500 J08C |
| SACHIN0074 | BOSCH 222 126 | HAND FUEL PUMP | HINO 500 J08C |



IFUEL SYSTEM



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------|-------|---------------------------|-------------------|
| S800122 | | HAND FUEL PUMP | HINO 500 J08E |
| FUEL CAP | | | |
| SACHIN036 | | FUEL TANK LOCKABLE CAP | HINO 500 1626 |
| SACTOY0176 | | FUEL TANK LOCKABLE CAP | DYNA 4.093 |
| S800127 FUEL SAVER | | FUEL TANK LOCKABLE CAP | HINO 500 1626 |
| SACHIN0379 | | FUEL SAVER | HINO 700 2845 |
| S800051 | | FUEL SAVER | HINO 300 915 |
| S160001 | | FUEL SAVER | HINO 700 2845 |
| 1 | | | |



ITURBO & EXHAUST



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------|--------|------------------------------------|--------------------------|
| TURBO SACHINO0021 | | TURBO | HINO 300 N04C |
| SACHIN00022 | | TURBO | HINO 500 J08C |
| SACHIN00034 | 93.788 | TURBO | HINO 700 E13C, EURO 3 |
| SACHIN00023 | | TURBO | HINO 700 E13C |
| S800091 | | EXHAUST BRAKE CYLINDER | HINO 500 1626 |
| S800094 SILENCER | | EXHAUST BRAKE CYLINDER ASSEMBLY | HINO 500 1626 |
| S800047 | | EXHAUST SILENCER | HINO 500 J08C |
| S800046 | | EXHAUST SILENCER | HINO 300 |



TURBO & EXHAUST



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------------|-------|----------------------------|-------------------|
| GASKETS & SEALS 17173780800E | 80 | EXHAUST MANIFOLD GASKET | HINO 300 N04C |
| 17451E01100E | | EXHAUST FLANGE GASKET | HINO 300 N04C |
| SACHIN0657 | 8 | EXHAUST MANIFOLD GASKET | HINO 500 J08C |
| SACHIN0667 | | EXHAUST MANIFOLD GASKET | HINO 700 E13C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------------|-------|------------------------------|---|
| BEARING SACHINO0055 | | FRONT WHEEL BEARING INNER | HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACTOY0172 | | FRONT WHEEL BEARING INNER | DYNA 4-093 5L |
| SACHIN0012 | | FRONT WHEEL BEARING INNER | HINO 500 1017 J05C, HINO 300 N04C 714/814/915 |
| 232961 | | FRONT WHEEL BEARING INNER | HINO 300 614 |
| 90366500690E | | FRONT WHEEL BEARING INNER | HINO 300 614 |
| SACTOY0173 | | FRONT WHEEL BEARING OUTER | DYNA 4-093 5L |
| 116066 | | FRONT WHEEL BEARING OUTER | HINO 300 614 |
| SACHIN0013 | | FRONT WHEEL BEARING OUTER | HINO 300 N04C 714/814/915 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------|------------------------------|---|
| SACISU0073 | | FRONT WHEEL BEARING OUTER | HINO 300 N04C 714/814/915 |
| 520130 | | FRONT WHEEL BEARING OUTER | HINO 700 |
| SACHIN00056 | | REAR WHEEL BEARING INNER | HINO 500 1626 J08C, HINO 500 33-254 J08C |
| SACTOY0174 | | REAR WHEEL BEARING INNER | DYNA 4-093 5L |
| SACHIN0010 | | REAR WHEEL BEARING INNER | HINO 300 N04C 714/814/915, HINO 500 1017 J05C, HINO 500 1626 |
| SACHIN00057 | | REAR WHEEL BEARING OUTER | HINO 500 1626 J08C, HINO 500 33-254 J08C HINO 700 2845 |
| SACTOY0175 | | REAR WHEEL BEARING OUTER | DYNA 4-093 5L |
| SACUD0195 | | REAR WHEEL BEARING OUTER | HINO 300 N04C 714/814/915, HINO 500 1017 J05C |



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|-------|--|--|
| 117242 | | REAR WHEEL BEARING OUTER | HINO 500 33-254 J08C, HINO 500 1626 J08C |
| 360008 STUDS & NUTS | | FRONT HUB TAPERED BEARING | HINO 300 614 |
| SACHINO003 SACHINO060 | | FRONT WHEEL STUD L/H FRONT WHEEL STUD R/H | HINO 300 915 N04C |
| SACHIN00073 SACHIN0063 | | FRONT WHEEL STUD L/H FRONT WHEEL STUD R/H | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACHIN0068 SACHIN0069 | | REAR WHEEL HUB STUD L/H REAR WHEEL HUB STUD R/H | HINO 500 1626 E13C |
| SACHIN00076 SACHIN00075 | | REAR WHEEL STUD L/H REAR WHEEL STUD R/H | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACHIN0653 SACHIN0004 | | REAR WHEEL STUD L/H REAR WHEEL STUD R/H | HINO 300 915 N04C |
| SACHIN0064 SACHIN0062 | | REAR WHEEL STUD L/H REAR WHEEL STUD R/H | HINO 500 1626 33-254 J08C HINO 700 |



Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------------|-------|--|--|
| S830001 | | REAR WHEEL STUD L/H | DYNA 4-093 |
| S800035 | | REAR WHEEL STUD | HINO 700 2845 |
| SACNISSAN-023 | | REAR WHEEL NUT L/H | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACNISSAN-024 | | REAR WHEEL NUT R/H | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACHIN0061 SACHIN00074 | | REAR WHEEL NUT L/H REAR WHEEL NUT R/H | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACNISSAN-017 SACNISSAN-018 | | FRONT WHEEL NUT L/H FRONT WHEEL NUT R/H | HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACNISSAN-025 SACNISSAN-033 | | REAR WHEEL NUT L/H REAR WHEEL NUT R/H | HINO 300 N04C |
| SACTOY234 SACTOY233 | | FRONT WHEEL NUT L/H FRONT WHEEL NUT R/H | DYNA 4-093 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------------|--|--------------------------------|-------------------|
| SACTOY229 | The state of the s | REAR WHEEL NUT INNER R/H | DYNA 4-093 |
| SACTOY231 | | REAR WHEEL NUT R/H | DYNA 4-093 |
| SACHIN0654 | | WHEEL STUD BACK NUT | HINO 300 915 |
| DRAG LINK SACHINO0068 | | DRAG LINK | HINO 500 1626 |
| SACTOY197 | | DRAG LINK | DYNA J05C |
| SACHIN00067 | | DRAG LINK | HINO 300 915 |
| SACHIN0610 | | DRAG LINK | HINO 500 1017 |
| S800024 | | DRAG LINK | HINO 500 13.236 |

Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|----------------|--|---|
| S800032 | | DRAG LINK | HINO 700 2845 |
| \$800033 | | DRAG LINK | HINO 700 SS1 |
| SACHIN0683 | | DRAG LINK | HINO 700 2848 |
| S830026 | | DRAG LINK | DYNA 6-104 |
| TIE ROD END | | | |
| SACHIN00064 SACHIN00063 | | BALL JOINT L/H THREAD BALL JOINT | HINO 300 914 HINO 500 1626, HINO 500 33-254 |
| | | R/H THREAD | |
| SACHIN00065 | 100 100 | BALL JOINT L/H THREAD | DYNA J05C, HINO 300 714/814/915, |
| SACHIN00066 | | BALL JOINT R/H THREAD | HINO 500 1017 |
| SACTOY200 | | TIE ROD END LH/RH | DYNA 4-093 |
| SACHIN0608 SACHIN0609 | | TIE ROD END L/H TIE ROD END R/H | HINO 300 614 HINO 500 13.236 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---|-------|--|--|
| S800021 S800022 | | TIE ROD END L/H TIE ROD END R/H | HINO 500 13.236 HINO 700 2848 |
| SACHIN0681 SACHIN0682 GASKETS & SEALS | | TIE ROD END L/H TIE ROD END R/H | HINO 700 2848 |
| SACHINO0026 | | REAR HUB OIL SEAL | HINO 300 N04C 714/814/915 |
| SACHIN00027 | | REAR HUB OIL SEAL | HINO 300 N04C, HINO500 1017 J05C 714/814/915 |
| SACHIN00030 | | REAR HUB OIL SEAL | HINO 500 1626 J08C |
| SACHIN00031 | | REAR HUB OIL SEAL | HINO 500 1626 33-254 J08C |
| SACHIN00032 | | REAR HUB OIL SEAL | HINO 700 2845 E13C |
| SACHIN00033 | | REAR HUB OIL SEAL | HINO 500 1626 J08C HINO 700 2845 |



58



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|------------------------|-------------------|
| SACTOY000154 | | REAR HUB OIL SEAL | DYNA 4-093 5L |
| SACHIN0707 | | REAR HUB OIL SEAL | HINO 700 2845 |
| \$800061 | | REAR HUB OIL SEAL | HINO 300 915 |
| \$800069 | | REAR HUB OIL SEAL | HINO 500 1626 |
| \$800060 | | REAR HUB OIL SEAL | HINO 500 1626 |
| SACTOY0180 | | REAR HUB SEAL OUTER | DYNA 4-093 |
| 90310380330E | | REAR HUB SEAL OUTER | DYNA 4-093 |
| 90310400010E | | REAR HUB SEAL OUTER | HINO 300 614 |

•

Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.

59



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|------------------------|---|
| SACHIN0708 | | REAR HUB SEAL OUTER | DYNA 4-093 |
| 90311780010E | | REAR HUB SEAL INNER | HINO 300 614 |
| SACHIN052 | | FRONT HUB SEAL | HINO 300 714/814/915, HINO 500 1017 |
| SACTOY0184 | | FRONT HUB SEAL | DYNA 4.093 |
| SACHIN00029 | | FRONT HUB OIL SEAL | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C |
| 90311680030E | | FRONT HUB SEAL | HINO 300 614 |
| S830019 | | FRONT HUB SEAL | HINO 500 J05C DYNA 4.093 |
| S800064 | | FRONT HUB SEAL | HINO 300 915 HINO 500 J05C |







| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|---------------|--------------------|
| SACHIN0361 (S160027) | | STEERING PUMP | HINO 700 2845 E13C |
| SACHIN0360 | | STEERING PUMP | HINO 500 J08C |
| SACHIN0362 | | STEERING PUMP | HINO 500 J05C |
| S830002 | | STEERING PUMP | DYNA WU420R W04D |
| S830003 | | STEERING PUMP | DYNA XZU430R J05C |
| S800005 | | STEERING PUMP | HINO 300 N04C |
| STEERING TANK | | | |
| SACHIN0356 | | STEERING TANK | HINO 700 2845 |
| KING PIN | | | |
| SACHIN0613 | 88000 | KING PIN KIT | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|-------|--------------|---|
| S800042 | | KING PIN KIT | HINO 300 614 |
| SACHIN0673 | | KING PIN KIT | HINO 300 915 DYNA 7-145 HINO 500 1017 |
| S800043 | | KING PIN KIT | HINO 500 13.236 |
| SACHIN0672 | | KING PIN KIT | HINO 700 2845 |

























































































MUDGUARD

SACHIN0205 COVER R/H FRONT FENDER R/H

SACHIN0221



SACHIN0220





SACHIN0206



SACHIN0219



SACHIN0217



OUTER R/H





SACHIN0214



INNER L/H



SACHIN0291



SACHIN0225



HINO 700



SACHIN0356



STEERING TANK

SACHIN0212



DOOR LOCKING MECHANISM L/H

SACHIN0603

RADIATOR WATER TANK

SACHIN0298



PANEL DOOR R/H

SACHIN0203

STEP PLATE LOWER



SACHIN0197









SACHIN0191







STEPBOX UPPER L/H



SACHIN0196





STEPBOX LOWER L/H





SACHIN0195

STEPBOX LOWER R/H,















SACHIN0198

SACHIN0189



BRACKET REAR R/H



SACHIN0201



SACHIN0200



LOWER L/H





SACHIN0188


























































































































































































































































Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



























































































IBODY



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------------------|-------|---------------------------|---|
| MAIN MIRROR SACHIN0561 | | MAIN MIRROR ONLY LH/RH | DYNA 4-093 5L |
| SACHIN0559 | | MAIN MIRROR ONLY LH/RH | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACHIN0568 | | MAIN MIRROR LH/RH | DYNA 4-093 |
| SACHIN0564 | | MAIN MIRROR L/H | HINO 300 915 |
| SACHIN0565 WIDE VIEW MIRROR | | MAIN MIRROR R/H | HINO 300 915 |
| SACHIN0560 | | WIDE VIEW MIRROR LH/RH | HINO 500 1017 J05C, HINO 500 1326 J08E, HINO 500 1626 J08C, HINO 500 33-254 J08C, HINO 700 E13C |
| SACTOY191 | | WIDE VIEW MIRROR LH/RH | HINO 500 |
| MIRROR ARM SACHIN0566 | | MAIN MIRROR ARM L/H | HINO 300 915 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------------------|-------|--------------------------------------|----------------------|
| SACHIN0567 | | MAIN MIRROR ARM R/H | HINO 300 915 |
| SACTOY0192 | | MIRROR ARM COVER L/H | DYNA J05C |
| SACTOY0193 | | MIRROR ARM COVER R/H | DYNA J05C |
| HEADLIGHT | | HEADLIGHT | |
| 219-1107L-RD-EC 219-1107R-RD-EC | | L/H HEADLIGHT R/H | HINO 500 HINO 700 |
| SACHIN0125 SACHIN0126 | | HEADLIGHT L/H HEADLIGHT R/H | HINO 500 G2 |
| 219-1108L-RDHEM 219-1108R-RDHEM | | HEADLIGHT L/H HEADLIGHT R/H | HINO 700 2845 |
| 219-1107L-MLDEMC 219-1107R-MLDEMC | | HEADLIGHT L/H HEADLIGHT R/H | HINO 700 2848 |
| SACTOY237 SACTOY238 | | HEADLIGHT L/H HEADLIGHT R/H | DYNA 4.093 |



SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 72



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------------|-------|--|-------------------|
| 212-11H5L-RD-E 212-11H5R-RD-E | | HEADLIGHT L/H HEADLIGHT R/H | DYNA 4.093 |
| SACHIN0056 | | HEADLIGHT R/H | HINO 500 |
| SACHIN0262 SACHIN0263 | | HEADLIGHT BRACKET L/H HEADLIGHT BRACKET R/H | HINO 500 1626 |
| SACHIN0264 SACHIN0265 | | HEADLIGHT BRACKET L/H HEADLIGHT BRACKET R/H | HINO 500 1017 |
| SACHIN0260 SACHIN0261 | | HEADLIGHT BRACKET L/H HEADLIGHT BRACKET R/H | HINO 500 1017 |
| SACHIN0258 SACHIN0259 | | HEADLIGHT BRACKET L/H HEADLIGHT BRACKET R/H | HINO 500 1626 |
| SACHINO178 SACHINO179 | | HEADLIGHT BRACKET L/H HEADLIGHT BRACKET R/H | HINO 700 2845 |
| S160002 | | HEADLIGHT GLOBE | HINO 700 |






| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|--|-------------------|
| G3101 | | HEADLIGHT GLOBE H4 | HINO 500 |
| HEADLIGHT BOLT | | | |
| SACHIN0266 | | HEADLIGHT BOLT | HINO 500 1626 |
| TAIL LIGHT | | | |
| 212-1902L | | TAIL LIGHT L/H | DYNA 4.093 |
| 212-1902R | | TAIL LIGHT R/H | DTNA 4.093 |
| 219-1903L-N | | TAIL LIGHT L/H | HINO 700 2848 |
| 219-1903R-N | | TAIL LIGHT R/H | |
| INDICATOR | | | |
| S800044 | | DOOR INDICATOR LH/RH | HINO 500 1627 |
| S800038AG S800037AG | | CORNER INDICATOR LIGHT L/H X2 SOCKET CORNER INDICATOR | HINO 500 G2 |
| | | LIGHT R/H X2 SOCKET | |
| SACHIN0129 SACHIN0130 | | CORNER INDICATOR LIGHT L/H X1 SOCKET CORNER INDICATOR | HINO 500 G2 |
| | | LIGHT R/H X1 SOCKET | |
| SACHIN00042 | | INDICATOR LIGHT L/H | LUNIO FOO |
| SACHIN00043 | | INDICATOR LIGHT R/H | HINO 500 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------|---------|-----------------------|-------------------|
| S800001 S800002 | | STEPBOX L/H | HINO 300 614 |
| | | STEPBOX R/H | |
| SACHIN0342 | | STEPBOX L/H | HINO 300 915 |
| SACHIN0343 | 9 0 | STEPBOX R/H | |
| SACHIN0131 | | STEPBOX LOWER L/H | HINO 500 G2 |
| SACHIN0132 | | STEPBOX LOWER R/H | 11INO 300 G2 |
| SACHIN0194 | | STEPBOX LOWER L/H | HINO 700 2845 |
| SACHIN0195 | | STEPBOX LOWER R/H | HINO 700 2843 |
| SACHIN0196 | 1/4 | STEPBOX LOWER L/H | LUNO 700 0045 |
| SACHIN0197 | | STEPBOX LOWER R/H | HINO 700 2845 |
| SACHIN0190 | 1/4 | STEPBOX UPPER L/H | LUNO 700 004F |
| SACHIN0191 | | STEPBOX UPPER R/H | HINO 700 2845 |
| SACHIN0282 | | STEPBOX UPPER L/H | |
| SACHIN0283 | | STEPBOX UPPER R/H | HINO 500 1626 |
| SACHIN0192 | | STEPBOX CENTRE L/H | HINO 700 2845 |
| SACHIN0193 | <u></u> | STEPBOX CENTRE R/H | 111110 100 2043 |



(






| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------------|-------|--------------------------------|-------------------|
| STEP ARM SACHIN0676 | | STEP ARM LOWER L/H | LUNIO 500 CC |
| SACHIN0677 | | STEP ARM LOWER R/H | HINO 500 G2 |
| STEP BOX BRACKET SACHIN0187 | | STEP BOX BRACKET CENTRE R/H | |
| SACHIN0186 | | STEP BOX FRONT BRACKET L/H | HINO 700 2845 |
| SACHIN0184 | | STEP BOX FRONT BRACKET L/H | HINO 700 2845 |
| SACHIN0185 | | STEP BOX FRONT BRACKET R/H | HINO 700 2045 |
| SACHIN0198 | | STEP BOX LOWER BRACKET L/H | HINO 700 2845 |
| SACHIN0199 | | STEP BOX LOWER BRACKET R/H | HINO 700 2043 |
| SACHIN0188 | | STEP BOX REAR BRACKET L/H | UNIO 700 0045 |
| SACHIN0189 | | STEP BOX REAR BRACKET R/H | HINO 700 2845 |
| STEP BOX COVER SACHINO200 | | STEPBOX LOWER COVER L/H | HINO 700 2845 |
| SACHINO201 | | STEPBOX LOWER COVER R/H | HINO 700 2845 |
| STEP BOX TRIM SACHINO284 | | STEP BOX TRIM L/H ALLOY | |
| SACHIN0285 | | STEP BOX TRIM R/H ALLOY | HINO 500 1626 |
| STEP BOX PLATE | | | |
| SACHIN0281 | | STEP BOX STEP PLATE LOWER | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|------------------------------|-------------------|
| SACHIN0133 | | STEP BOX STEP PLATE LOWER | HINO 500 G2 |
| SACHIN0203 | | STEP BOX STEP PLATE LOWER | HINO 700 2845 |
| SACHIN0202 | | STEP BOX STEP PLATE UPPER | HINO 700 2845 |
| DOOR | | DOOR SHELL | |
| SACHIN0212 | | L/H | HINO 700 2845 |
| SACHIN0213 | | DOOR SHELL R/H | |
| SACHIN0151 SACHIN0152 | | DOOR SHELL L/H | HINO 500 1626 |
| SACHINU132 | | DOOR SHELL R/H | |
| | | DOOR SHELL L/H | |
| SACHIN0735 SACHIN0736 | | DOOR SHELL | HINO 300 614 |
| | | R/H | |
| SACHIN0585 | | INNER DOOR TRIM L/H | |
| SACHIN0586 | | INNER DOOR TRIM R/H | HINO 500 1626 |
| SACHIN0354 | | DOOR TRIM L/H | HINO 500 1626 |
| SACHIN0355 | | DOOR TRIM R/H | 111110 300 1020 |



(



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|------------|--------------------------|-------------------|
| SACHIN0594 | SACHIN0594 | DOOR HANDLE OUTER L/H | HINO 300 |
| SACHIN0595 | | DOOR HANDLE OUTER R/H | 711NO 300 |
| SACHIN0286 | | DOOR HANDLE OUTER L/H | HINO 500 1626 |
| SACHIN0287 | | DOOR HANDLE OUTER R/H | 111110 300 1020 |
| SACHIN0214 | | DOOR HANDLE OUTER L/H | HINO 700 2845 |
| SACHIN0215 | | DOOR HANDLE OUTER R/H | HINO 700 2845 |
| SACHIN0299 | | DOOR LEVER INNER L/H | LUNO 500 1626 |
| SACHIN0300 | | DOOR LEVER INNER R/H | HINO 500 1626 |
| SACHIN00216 | | DOOR LEVER INNER L/H | HINO 700 2845 |
| SACHIN0217 | | DOOR LEVER INNER R/H | |
| SACHIN0340 | | DOOR HINGE LOWER L/H | |
| SACHIN0341 | | DOOR HINGE LOWER R/H | HINO 300 915 |
| SACHIN0338 | | DOOR HINGE UPPER L/H | LUNO 200 015 |
| SACHIN0339 | | DOOR HINGE UPPER R/H | HINO 300 915 |
| SACHIN0289 | | DOOR HINGE LH/RH | HINO 500 1626 |



SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 78



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|----------------------------------|-------------------|
| SACHIN0336 | | DOOR LOCKING MECHANISM L/H | HINO 300 915 |
| SACHIN0337 | | DOOR LOCKING MECHANISM R/H | |
| SACHINO290 | | DOOR LOCKING MECHANISM L/H | HINO 500 1626 |
| SACHIN0291 | | DOOR LOCKING MECHANISM R/H | |
| S800014 | 00 | DOOR LOCK BARREL KIT | HINO 500 1626 |
| SACHIN0353 | | DOOR ASHTRAY | HINO 500 1626 |
| SACHIN0288 | | DOOR STOP | HINO 500 1626 |
| GRILLE | | | |
| SACHIN0168 | | LOWER GRILLE | HINO700 2845 |
| SACHIN0102 | | LOWER GRILLE | HINO 500 G2 |
| SACHIN0169 SACHIN0170 | | LOWER GRILLE CORNER PANEL L/H | HINO 700 2845 |
| OAOI III VOI 170 | | LOWER GRILLE CORNER PANEL R/H | |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------|-------|--------------|-------------------|
| SACHIN051 | | GRILLE | HINO 300 815 |
| SACHIN0328 | | GRILLE | HINO 300 915 |
| SACTOY223 | | FRONT GRILLE | DYNA 4-093 |
| SACHIN0347 | | FRONT GRILLE | HINO 300 614 |
| SACHIN0231 | | FRONT GRILLE | HINO 500 1017 |
| SACHIN0101 | | UPPER GRILLE | HINO 500 G2 |
| SACHIN0154 BUMPER | | UPPER GRILLE | HINO 700 2845 |
| SACHIN0248 | | LOWER BUMPER | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|--|------------------------|-------------------|
| SACHIN0249 | | LOWER BUMPER | HINO 500 1017 |
| SACHIN0584 | | LOWER BUMPER CENTER | HINO 700 2845 |
| SACHIN0171 | | FRONT BUMPER | HINO 700 2845 |
| SACTOY226 | | FRONT BUMPER | DYNA 4.093 |
| SACHIN0348 | Es Contraction of the Contractio | FRONT BUMPER | HINO 300 614 |
| SACHIN0331 | | FRONT BUMPER | HINO 300 915 |
| SACHIN0245 | | FRONT BUMPER | HINO 500 1017 |
| SACHIN0247 | | FRONT BUMPER | HINO 500 1017 |



IBODY




| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|--------------|-----------------------------|-------------------|
| SACHIN0244 | | FRONT BUMPER | HINO 500 1626 |
| SACHIN0246 | | FRONT BUMPER | HINO 500 1626 |
| SACTOY0190 | | FRONT BUMPER METAL | DYNA J05C |
| | | BUMPER BRACKET L/H | |
| SACTOY227 SACTOY228 | | BUMPER BRACKET R/H | DYNA 4-093 |
| SACHIN0332 | | FRONT BUMPER BRACKET L/H | |
| SACHIN0333 | made isolati | FRONT BUMPER BRACKET R/H | HINO 300 915 |
| SACHIN0252 | | BUMPER BRACKET L/H | |
| SACHIN0252 SACHIN0253 | | BUMPER BRACKET R/H | HINO 500 1017 |
| SACHIN0256 | | BUMPER BRACKET L/H | |
| SACHIN0257 | | BUMPER BRACKET R/H | HINO 500 1017 |
| SACHIN0250 | | BUMPER BRACKET L/H | |
| SACHIN0251 | | BUMPER BRACKET R/H | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------|------------------------------|-------------------|
| SACHIN0254 | | BUMPER BRACKET L/H | HINO 500 1626 |
| SACHIN0255 | | BUMPER BRACKET R/H | 111110 300 1020 |
| SACHIN0173 | | BUMPER TRIM L/H | HINO 700 2845 |
| SACHIN0174 | | BUMPER TRIM R/H | |
| SACHIN0175 | \ / | BUMPER CORNER TRIM L/H | HINO 700 2845 |
| SACHIN0176 | | BUMPER CORNER TRIM R/H | HINO 700 2043 |
| SACHIN0109 | | BUMPER CORNER TRIM L/H | HINO 500 G2 |
| SACHIN01110 | | BUMPER CORNER TRIM R/H | HINO 300 G2 |
| SACHIN0172 | | BUMPER TRIM CENTRE | HINO 700 2845 |
| SACHIN0269 | | BUMPER SCREW COVER L/H | |
| SACHIN0270 | | BUMPER SCREW COVER R/H | HINO 500 1626 |
| SACHIN0113 | | BUMPER CENTRE COVER UPPER | HINO 500 G2 |
| SACHIN0104 | | FRONT BUMPER CENTRE | HINO 500 G2 |



•

IBODY




| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|--|-------------------|
| SACHIN0116 | | FRONT BUMPER CENTRE | HINO 500 G2 |
| SACHIN0123 SACHIN0124 | | BUMPER CENTRE TRIM L/H BUMPER CENTRE TRIM R/H | HINO 500 G2 |
| SACHIN0117 SACHIN0118 | BU | BUMPER CORNER L/H BUMPER CORNER R/H | HINO 500 G2 |
| SACHIN0106 SACHIN0105 | | BUMPER CORNER L/H BUMPER CORNER R/H | HINO 500 G2 |
| SACHIN0121 SACHIN0122 | | BUMPER CORNER TRIM L/H BUMPER CORNER TRIM R/H | HINO 500 G2 |
| SACHIN0107 SACHIN0108 | | BUMPER CORNER TRIM L/H BUMPER CORNER TRIM R/H | HINO 500 G2 |
| SACHIN0119 SACHIN0120 | | BUMPER CORNER TRIM L/H BUMPER CORNER TRIM R/H | HINO 500 G2 |
| SACHIN0111 | | BUMPER TRIM CENTRE | HINO 500 G2 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------|-------|----------------------------------|-------------------|
| SACHIN0112 | | BUMPER REINFORCEMENT | HINO 500 G2 |
| SACHIN0148 | | BUMPER REINFORCEMENT | HINO 500 G2 |
| SACHIN0177 | | BUMPER REINFORCEMENT | HINO 500 G2 |
| CORNER PANEL | | CORNER PANEL TRIM | |
| SACTOY220 SACTOY221 | | L/H CORNER PANEL TRIM R/H | DYNA 4-093 |
| SACTOY239 SACTOY240 | | CORNER PANEL L/H | DYNA 4.093 |
| | | CORNER PANEL R/H | |
| SACTOY0199 | | CORNER PANEL GARNISH L/H | DYNA J05C |
| SACTOY01100 | | CORNER PANEL GARNISH R/H | DTNA 303C |
| SACTOY0197 | | CORNER PANEL L/H WITHOUT HOLE | DYNA J05C |
| SACTOY0198 | | CORNER PANEL R/H WITHOUT HOLE | D I NA 3030 |
| SACHIN0352 | | FRONT CORNER PANEL L/H | HINO 300 915 |
| SACHIN0351 | | FRONT CORNER PANEL R/H | |







| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------|-----------------------------------|-------------------|
| SACHIN0271 | | FRONT CORNER PANEL L/H | HINO 500 1626 |
| SACHIN0272 | | FRONT CORNER PANEL R/H | |
| SACHIN0149 | | FRONT CORNER PANEL L/H | HINO 500 G2 |
| SACHIN0150 | | FRONT CORNER PANEL R/H | |
| SACHIN0114 | A A | FRONT CORNER PANEL LOWER L/H | HINO 500 G2 |
| SACHIN0115 | | FRONT CORNER PANEL LOWER R/H | |
| SACHIN0180 | | FRONT CORNER PANEL L/H | HINO 700 2845 |
| SACHIN0181 | | FRONT CORNER PANEL R/H | |
| SACHIN0182 | | FRONT CORNER PANEL BRACKET L/H | |
| SACHIN0183 | | FRONT CORNER PANEL BRACKET R/H | HINO 700 2845 |
| FRONT PANEL | | | |
| SACHIN0153 | a Too | FRONT PANEL | HINO 700 2845 |
| SACTOY0189 | | FRONT PANEL | DYNA J05C |
| | | THORTTANLL | D.11A 0000 |
| SACTOY225 | | FRONT PANEL | DYNA 4-093 |
| 3A0101223 | | THOM FAMEL | DINA 4-033 |



SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 86



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|--|-------------------|
| SACHIN0346 | | FRONT PANEL | HINO 300 614 |
| SACHIN0327 | | FRONT PANEL | HINO 300 915 |
| SACHIN0228 | | FRONT PANEL | HINO 500 1626 |
| SACHIN0229 | | FRONT PANEL | HINO 700 2845 |
| SACHIN0235 | | FRONT PANEL HINGE | HINO 500 1626 |
| SACHIN0588 SACHIN0587 | | FRONT PANEL HINGE KIT L/H FRONT PANEL HINGE KIT R/H | HINO 700 2845 |
| \$160009 \$160007 | 926 | FRONT PANEL HANDLE HINGE L/H FRONT PANEL HANDLE HINGE R/H | HINO 700 2845 |
| SACTOY0194 | | FRONT PANEL GARNISH | DYNA J05C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|-------|---------------------------------|-------------------|
| SACHIN0276 | | FRONT PANEL HANDLE COVER L/H | HINO 500 1626 |
| SACHIN0277 | | FRONT PANEL HANDLE COVER R/H | TIII 0 300 1020 |
| S160008 | | FRONT PANEL GRAB HANDLE L/H | HINO 700 2845 |
| S160006 | | FRONT PANEL GRAB HANDLE R/H | |
| SACHIN0275 | | FRONT PANEL GRAB HANDLE | HINO 500 1626 |
| SACHIN0234 | | FRONT PANEL INNER | HINO 500 1626 |
| SACHIN0098 | | FRONT PANEL INNER | HINO 500 G2 |
| SACHIN0103 | | FRONT PANEL OPENER | HINO 500 G2 |
| SACHIN0099 | | FRONT PANEL OUTER | HINO 500 G2 |
| SACHIN0167 | | FRONT PANEL GAS SPRING | HINO 700 2845 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------|--|----------------------------|-------------------|
| SACHIN0161 | | FRONT PANEL LOCK L/H | HINO 700 2845 |
| SACHIN0162 | A IN INC. | FRONT PANEL LOCK R/H | |
| FRONT PANEL CORNER | <u> </u> | | |
| SACTOY0195 | The state of the s | PANEL GARNISH L/H | DYNA J05C |
| SACTOY0196 | Wu | PANEL GARNISH R/H | DYNA J05C |
| SACHIN0238 | | AIRDUCT FRONT PANEL L/H | |
| SACHIN0239 | | AIRDUCT FRONT PANEL R/H | HINO 500 1017 |
| SACHIN0236 | 7 7 | AIRDUCT FRONT PANEL L/H | HINO 500 1626 |
| SACHIN0237 | | AIRDUCT FRONT PANEL R/H | |
| WIPER PANEL | | | |
| SACTOY192 | | WIPER PANEL | DYNA 4.093 |
| SACTOY224 | | WIPER PANEL | DYNA 4.093 |
| SACHIN0274 | (| WIPER PANEL | HINO 500 1017 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|--------------------------|-------------------|
| SACHIN0273 | 9 9 | WIPER PANEL | HINO 500 1626 |
| SACTOY0191 | | WIPER PANEL LOWER | DYNA J05C |
| SACHIN0279 | | WIPER LINKAGE | HINO 500 1017 |
| SACHIN0278 | | WIPER LINKAGE | HINO 500 1626 |
| SACHIN0166 | | WIPER LINKAGE | HINO 700 2845 |
| FENDER | | FENDER | |
| SACHIN0344 SACHIN0345 | | L/H FENDER R/H | HINO 300 915 |
| 040111510004 | | FRONT FENDER L/H | |
| SACHIN0204 SACHIN0205 | | FRONT FENDER R/H | HINO 700 2845 |
| SACHIN0136 | 7 (| FRONT FENDER TRIM L/H | |
| SACHIN0137 | | FRONT FENDER TRIM R/H | HINO 500 G2 |



•



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|---|-------------------|
| SACHIN0138 | | FRONT FENDER TRIM L/H | HINO 500 G2 |
| SACHIN0134 | | FRONT FENDER TRIM L/H | HINO 500 G2 |
| SACHIN0140 SACHIN0141 | | FRONT FENDER EXTENSION L/H FRONT FENDER | HINO 500 G2 |
| | | EXTENSION R/H | |
| MUDGAURD SACHIN0142 | | REAR AXLE MUDGUARD L/H | |
| SACHIN0143 | | REAR AXLE MUDGUARD R/H | HINO 500 G2 |
| SACHIN0305 | | REAR AXLE MUDGUARD L/H | HINO 500 1626 |
| SACHIN0306 | | REAR AXLE MUDGUARD R/H | TiiNO 300 1020 |
| SACHIN0307 | | REAR AXLE MUDGUARD L/H | LUNO 500 1017 |
| SACHIN0308 | | REAR AXLE MUDGUARD R/H | HINO 500 1017 |
| SACHIN0208 | | REAR AXLE MUDGUARD L/H | LUNO 700 2045 |
| SACHIN0209 | | REAR AXLE MUDGUARD R/H | HINO 700 2845 |
| SACHIN0206 SACHIN0207 | | MUDGUARD COVER L/H | LIINO 700 00 45 |
| | | MUDGUARD COVER R/H | HINO 700 2845 |



•



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------|-------|------------------------------------|-------------------|
| SACTOY222 | | EMBLEM | DYNA 4-093 |
| SACHIN0232 | | HINO LOGO BADGE | HINO 500 1626 |
| SACHIN0100 | | HINO LOGO BADGE | HINO 500 G2 |
| SACHIN0156 | | HINO LOGO BADGE | HINO 700 2845 |
| SACHIN0233 | 500 | HINO 500 SERIES BADGE | HINO 500 1626 |
| SACHIN0155 | 700 | HINO 700 SERIES BADGE | HINO 700 2845 |
| BATTERY COVER | | | |
| SACHIN0225 | | BATTERY COVER | HINO 700 2845 |
| STEERING LOCK | | | |
| SACHIN0316 | | STEERING LOCK WITH KEY & BARREL | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------------|-------|--|-------------------|
| CABIN SUSPENSION S5220-31520 | | REAR CAB BUMP STOP | HINO 500 1626 |
| S5044-E0031 | | REAR CAB BUMP STOP | HINO 700 2848 |
| SACHIN0644 WINDOW REGULATOR | | REAR RUBBER BUMP STOP | HINO 700 2848 |
| SACHIN0334 SACHIN0335 | | WINDOW REGULATOR MANUAL L/H WINDOW REGULATOR MANUAL R/H | HINO 300 915 |
| SACHIN0292 SACHIN0293 | | WINDOW REGULATOR MANUAL L/H WINDOW REGULATOR MANUAL R/H | HINO 500 1626 |
| 69802370630E 6981370630E | 1 | WINDOW REGULATOR ELECTRIC L/H WINDOW REGULATOR ELECTRIC R/H | HINO 300 915 |
| SACHIN0218 SACHIN0219 | | WINDOW REGULATOR ELECTRIC L/H WINDOW REGULATOR ELECTRIC R/H | HINO 700 2845 |
| SACHIN0296 | | WINDOW WINDER HANDLE | HINO 500 1626 |



•



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------|-------|------------------------------------|-------------------|
| S800123 | | WINDOW WINDER HANDLE | HINO 500 1626 |
| PILLAR EXTENSION | | DEAD BULLAD | |
| SACHIN0303 SACHIN0304 | | REAR PILLAR EXTENSION L/H | HINO 500 1017 |
| | | REAR PILLAR EXTENSION R/H | |
| SACHIN0301 | | REAR PILLAR EXTENSION L/H | HINO 500 1626 |
| SACHIN0302 | | REAR PILLAR EXTENSION R/H | TIINO 300 1020 |
| SACHIN0220 | | REAR PILLAR EXTENSION L/H | HINO 700 2845 |
| SACHIN0221 RUBBER BOOT | | REAR PILLAR EXTENSION R/H | TIINO 100 2545 |
| RUBBER BUUT | | | |
| SACHIN0317 | | GEAR LEVER RUBBER BOOT | HINO 500 1626 |
| CABIN PANEL | | | |
| SACHIN0326 | | REAR CAB PANEL UNLOCK MECHANISM | HINO 500 1626 |
| WATER TANK | (*) | | |
| SACHIN0144 | | WIPER WATER TANK | HINO 500 G2 |
| SACHIN0240 | | WIPER WATER TANK | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------|-------|--------------------------|-------------------|
| SACHIN0159 | | WIPER WATER TANK | HINO 700 2845 |
| SACHIN0160 | | WIPER WATER TANK PIPE | HINO 700 2845 |
| BLOWER FAN | | | |
| S830022 | | BLOWER FAN MOTOR | DYNA 7.105 |
| S800078 | | BLOWER FAN MOTOR | HINO 300 915 |



Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------------|-------|---------------------------------|-------------------|
| GASKETS & SEALS SACHINO0072 | | OVERHAUL GASKET KIT COMPLETE | HINO 300 N04C |
| SACHIN0727 | | OVERHAUL GASKET KIT COMPLETE | HINO 500 J05C |
| SACHIN00071 | | OVERHAUL GASKET KIT COMPLETE | HINO 500 J08C |
| S800119 | | OVERHAUL GASKET KIT COMPLETE | HINO 500 J08C |
| S160045 | | OVERHAUL GASKET KIT COMPLETE | HINO HC 700 E13C |
| SACHIN0660 | | OIL SUMP GASKET | HINO 500 J05C |
| SACHIN0659 | | OIL SUMP GASKET | HINO 500 J08C |
| SACHIN0658 | | OIL SUMP GASKET | HINO 700 E13C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|-------------------------------|--------------------------------|
| 11213780700E | | TAPPET COVER GASKET | HINO 300 N04C |
| SACHIN0669 | | TAPPET COVER BOTTOM GASKET | HINO 500 J08C |
| SACHIN0668 | | TAPPET COVER UPPER GASKET | HINO 500 J08C |
| SACHIN0666 | | TAPPET COVER GASKET | HINO 700 E13C |
| SACHIN0670 | | INTAKE MANIFOLD GASKET | HINO 500 J08C |
| S830015 | | FRONT CRANKSHAFT SEAL | DYNA W04DT |
| \$800057 | | FRONT CRANKSHAFT SEAL | HINO 500 J08C |
| S800056 (SACHIN0359) | | REAR MAIN OIL SEAL | HINO 500 J08C HINO 500 J05C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|-------------|-------------------|
| PISTON SACHIN0618 | | PISTON | HINO 300 N04C |
| SACHIN0620 | | PISTON | HINO 500 J08C |
| SACHIN0622 | | PISTON | HINO 500 J08E |
| SACHIN0624 PISTON LINER | | PISTON | HINO 700 E13C |
| SACHIN0625 | | LINER | HINO 700 E13C |
| SACHIN0621 | | LINER | HINO 500 J08C |
| SACHIN0623 | | LINER | HINO 500 J08E |
| SACHIN0732 | | LINER | HINO 500 J08C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|----------|------------------------------|-------------------|
| SACHIN0619 | | LINER | HINO N04C |
| PISTON RING | | | |
| SACHIN0692 | | PISTON RINGS | HINO 500 J08C |
| SACHIN0617 | | PISTON RINGS | HINO 300 N04C |
| SACHIN0693 | 2 | PISTON RINGS | HINO 500 J08E |
| SACHIN0694 | 00 | PISTON RINGS | HINO 700 E13C |
| OIL NOZZLE | ,î | | |
| SACHIN0628 | | PISTON OIL NOZZLE SPRAYER | HINO 500 J08E |
| OIL PUMP | | | |
| 15110E03210E | | OIL PUMP | HINO 300 N04C |
| SACHIN0661 | | OIL PUMP | HINO 500 J05C |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|--|--------------------------------|-------------------|
| S800018 | | OIL PUMP | HINO 500 J08C |
| GLOW PLUG | | | |
| SACHIN0675 | To the second se | GLOW PLUG | HINO 500 J05C |
| INTAKE VALVE | • | | |
| \$800098 | | CYLINDER HEAD INTAKE VALVE | HINO 500 J08C |
| S800097 | | CYLINDER HEAD EXHAUST VALVE | HINO 500 J08C |
| COPPER TUBE | | | |
| SACHIN0685 | | CYLINDER HEAD COPPER TUBE | HINO 500 J08C |
| BEARING | | | |
| SACHIN0696 | | MAINBEARING KIT | HINO 500 J08C |
| SACHIN0699 | | MAINBEARING | HINO 700 E13C |
| SACHIN0697 | | BIGEND BEARING KIT | HINO 500 J08E |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|--------------------------------|-------------------|
| SUMP PLUG | | | |
| SZ341180140E | | OIL SUMP PLUG | HINO 500 J08C |
| SZ430180090E | | OIL SUMP PLUG WASHER GASKET | HINO 500 J08C |



Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.

IENGINE EXTERNAL



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------------------|-------|-----------------------------|---|
| BELTS, PULLEYS & TENSIONERS 334300 | | FAN BELT | DYNA 4-093 5L |
| SACHIN0075 | | FAN BELT | HINO 500 J08C |
| SACHIN0630 | | FAN BELT | HINO 700 E13C |
| 334203SP | | FAN BELT KIT | HINO 300 N04C, HINO 500 1626 J08C, HINO 500 1017 J05C |
| 276210 | | AIRCON V-BELT | DYNA 4.093 5L |
| \$8000015 | | AIRCON V-BELT | HINO 300 614 |
| 541408 | | ALTERNATOR V-RIBBED BELT | HINO 500 33-254 J08C |
| 16603-E0110 | | TENSIONER PULLEY | HINO 700 E13C |



IENGINE EXTERNAL



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|---------|------------------------------------|-------------------|
| SACHIN0664 (16380-2410) | | FAN BELT TENSIONER | HINO 700 E13C |
| ENGINE MOUNTING | | | _ |
| SACHIN0634 | ~ · · · | FRONT ENGINE MOUNTING RUBBER | HINO 500 1626 |
| 1236158131 | | FRONT ENGINE MOUNTING | HINO 300 N04C |
| SACHIN0655 | | FRONT ENGINE MOUNTING | HINO 700 E13C |
| S830020 | | FRONT ENGINE MOUNTING | DYNA J05C |
| SACHIN0635 | | REAR ENGINE MOUNTING RUBBER | HINO 500 1626 |
| SACHIN0656 | | REAR ENGINE MOUNTING | HINO 700 E13 |
| S830021 | | REAR ENGINE MOUNTING R/H | DYNA J05C |

IENGINE EXTERNAL



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------|-------|-------------------|-------------------|
| ACCELERATOR CABLE | | | |
| SACTOY193 | | ACCELERATOR CABLE | DYNA 4-093 |
| SACHIN0571 | | ACCELERATOR CABLE | HINO 500 1626 FG1 |
| COMPRESSOR | | | |
| S800028 | | AIRCON COMPRESSOR | HINO 300 N04C |
| \$800031 | | AIRCON COMPRESSOR | HINO 500 J08C |
| \$800030 | | AIRCON COMPRESSOR | HINO 700 E13C |
| CONDENSER | Y | | |
| SACHIN0674 | | AIRCON CONDENSER | HINO 500 1626 |
| | | | |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------------------|-------|-----------------|------------------------------------|
| SACHINO025 | | FRONT SHOCK | HINO 500 1626, HINO 500 33-254 |
| SACHIN0091 | | FRONT SHOCK | HINO 700 2848 |
| SACHIN0093 (48511801840E) | | FRONT SHOCK | DYNA J05C, HINO 300 714/814/915 |
| SACHIN0095 | | FRONT SHOCK | HINO 500 1626, HINO 500 33-254 |
| SACHIN0373 | | FRONT CAB SHOCK | HINO 700 2848 |
| SACTOY0177 | | FRONT SHOCK | DYNA 4-093 |
| 48511801830E | | FRONT SHOCK | HINO 300 614 |
| SACHIN0371 | | FRONT SHOCK | HINO 500 1626 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------------|---------------------------|-------------------|
| 48500E0A60OE | | FRONT SHOCK | HINO 500 2626 FL8 |
| S800126 | | FRONT SHOCK | HINO 300 915 |
| S800099 | | FRONT SHOCK | HINO 500 1626 |
| S160037 | | FRONT SHOCK | HINO 700 2848 |
| S160035 | 2 PANDONINI | FRONT SHOCK TWIN STEER | HINO 700 FY1E |
| S160021 | | FRONT SHOCK | HINO 700 SH1 |
| S160034 | | FRONT SHOCK | HINO 500 |
| SACHIN0372 | | FRONT SHOCK | HINO 700 2848 |

(



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------------|--|------------------------------|------------------------------------|
| SACHIN055 | | REAR SHOCK | HINO 700 7-145 |
| SACHIN0092 | | REAR SHOCK | DYNA J05C, HINO 300 714/814/915 |
| SACTOY0159 | Nagarasi Company | REAR SHOCK | DYNA 4-093 |
| SACHIN0701 | | REAR SHOCK | HINO 300 915 |
| S800125 (48531808330E) | DESCRIPTION OF THE PARTY OF THE | REAR SHOCK | HINO 300 614 |
| \$160016 | The state of the s | REAR SHOCK | HINO 700 2845 |
| SACUD0325 | | REAR SHOCK AIR SUSPENSION | HINO 500 FL8 |
| SACHIN0702 (SACHIN0566) | | REAR SHOCK AIR SUSPENSION | HINO 700 2848 |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|------------------------|---------------------------|
| SACHIN0312 | | SEAT SHOCK ABSORBER | HINO 500 1626 |
| SACHIN0375 | | REAR CAB SHOCK | HINO 700 2848 |
| SHACKLE PIN | | | |
| SACHIN0639 | | FRONT SHACKLE PIN | HINO 500 1017 HINO 300 |
| SACHIN0641 | | FRONT SHACKLE PIN | HINO 500 1626 |
| SACHIN0598 | | FRONT SHACKLE PIN | HINO 700 2845 |
| S800019 | | FRONT SHACKLE PIN | HINO 500 13.236 |
| 190.033 (SACHIN0640) | | FRONT SHACKLE PIN | HINO 500 1626 |
| 190.031 | | FRONT SHACKLE PIN | HINO 700 2845 |

•



ISUSPENSION



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------------------|-------|---|----------------------------------|
| SACHIN0648 | | FRONT SHACKLE PIN REAR | HINO 300 814 |
| SACHIN0638 | | REAR SHACKLE PIN | HINO 500 1017 HINO 500 13-236 |
| SACHIN0089 | | REAR SHACKLE PIN | HINO 500 1626 |
| SACHIN0637 | | REAR SHACKLE PIN | HINO 300 915 HINO 500 1017 |
| 190.030 (SACHIN0079) | | REAR SHACKLE PIN | HINO 500 1626 |
| BUSHES | | | |
| SACHIN041 | | V-STAY SMALL BUSH | HINO 700 2845 |
| SACHIN042 | · Coo | V-STAY BIG BUSH | HINO 700 2845 |
| 10.055 | | TORQUE ARM RADIUS ROD BUSH AIR SUSPENSION | HINO 700 2848 |

Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.

ISUSPENSION



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------------|-------|-------------------------------|-------------------|
| S160012 (S160011) | | TORQUE ARM RADIUS ROD BUSH | HINO 700 2845 |
| M80.3830 | | FRONT SHACKLE BUSH | HINO 700 2848 |
| SACHIN0080 | | REAR SHACKLE BUSH | HINO 500 1626 |
| S800108 | | REAR SHACKLE BUSH | HINO 500 1017 |
| SACHIN0642 | | FRONT SHACKLE BUSH | HINO 500 1626 |
| S800025 | | FRONT STABILIZER BUSH | HINO 500 1626 |
| S800027 | | FRONT STABILIZER BUSH END | HINO 500 1626 |
| S800026 | | LINK ROD BUSH | HINO 500 1626 |




SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 110

ISUSPENSION



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|------------------|-------|-----------------------------|-------------------|
| V-STAY SACHIN043 | | REAR V-STAY | HINO 700 2845 |
| \$800003 | | REAR HOLLOW SPRING | HINO 700 2845 |
| 48441E01700E | | FRONT SPRING SHACKLE R/H | HINO 300 XXZU423R |





IGEARBOX & DRIVETRAIN




| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-----------------------|-------|----------------------|---------------------|
| GEAR CABLE SACHIN0576 | | GEAR SELECT CABLE | HINO 300 915 |
| SACHIN0580 | | GEAR SELECT CABLE | HINO 500 15-258 FG1 |
| SACHIN0574 | | GEAR SELECT CABLE | HINO 500 1626 FG1 |
| SACHIN0611 | | GEAR SELECT CABLE | HINO 500 FL8 |
| SACHIN0577 | | GEAR SELECT CABLE | HINO 300 915 |
| SACHIN0575 | | GEAR SELECT CABLE | HINO 500 1017 |
| SACHIN0573 | | GEAR SELECT CABLE | HINO 500 1626 FG1 |
| SACHIN0612 | | GEAR SELECT CABLE | HINO 500 FL8 |



IGEARBOX & DRIVETRAIN



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------------------------|-------|------------------------|-------------------|
| S830030 | | GEAR SELECT CABLE | DYNA 5-103 |
| S800096 | | GEAR SELECT CABLE | HINO 300 714 |
| S800095 | | GEAR SELECT CABLE | HINO 300 714 |
| \$830031 | | GEAR SELECT CABLE | DYNA 5-103 |
| POWERSHIFT CYLINDER SACHIN0607 | | POWERSHIFT CYLINDER | HINO 700 2848 |
| S8000077 (SDC91305) | | POWERSHIFT CYLINDER | HINO 500 FS6109 |
| S800063 | | DIFF PINION SEAL | HINO 500 1626 |
| | C. C. | | |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------|-------|--------------------------------------|-------------------|
| SACAR2880 | | WARNING TRIANGLE BIG | UNIVERSAL |
| SACTQ28042C | 80 | 80KM REFLECTIVE STICKER | UNIVERSAL |
| SACELEC007B | | REFLECTIVE TAPE WHITE P/M | UNIVERSAL |
| SACELEC007C | DE NE | REFLECTIVE TAPE RED P/M | UNIVERSAL |
| SACTRAIL0059 | | REFLECTIVE TAPE YELLOW P/M | UNIVERSAL |
| SACMUL028 | | CHEVRON HONEYCOMB 1.2M 195WIDE | UNIVERSAL |
| SACCHEV1700HC | | CHEVRON BOARD STEELE 1.7M | UNIVERSAL |
| SACCHEV1700HD | | CHEVRON STICKER 1.7M | UNIVERSAL |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|-------------|--|---|-------------------|
| SACTQ28046A | | ROUND REFLECTOR AMBER 760D METAL FLANGE | UNIVERSAL |
| SACTQ28044R | | ROUND REFLECTOR RED 760D METAL FLANGE | UNIVERSAL |
| SACLIGH043 | | ROUND REFLECTOR WHITE 760D METAL FLANGE | UNIVERSAL |
| SACMUL024 | | METAL REFLECTOR AMBER 2 PIECE 50MM | UNIVERSAL |
| SACMUL025 | | AMBER ADHESIVE REFLECTOR 35MM X 65MM | UNIVERSAL |
| SACMUL026 | The state of the s | CLEAR ADHESIVE REFLECTOR 35MM X 65MM | UNIVERSAL |
| SACMUL027 | | RED ADHESIVE REFLECTOR 35MM X 65MM | UNIVERSAL |
| SACREFS01 | | RED ADHESIVE REFLECTOR STICK ON 40MM X 90MM | UNIVERSAL |

Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------|-------|---|-------------------|
| SACREFS02 | | STICK ON REFLECTOR AMBER | UNIVERSAL |
| SACTQ36100 | | FIRE EXTINGUISHER 9KG | UNIVERSAL |
| SACTRAIL36100 | | FIRE EXTINGUISHER 4.5KG | UNIVERSAL |
| SACTRAIL1KG | | FIRE EXTINGUISHER WITH BRACKET 1KG | UNIVERSAL |
| SACTQ36101 | | FIRE EXTINGUISHER BRACKET 9KG | UNIVERSAL |
| SACTRAIL36101 | | FIRE EXTINGUISHER BRACKET 4.5KG | UNIVERSAL |
| SACTRAIL9KG | | FIRE EXTINGUISHER BOX 9KG | UNIVERSAL |
| SACTRAIL52 | | FIRE EXTINGUISHER BOX RED DIAMOND/BLACK | UNIVERSAL |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|---|-------------------|
| S970033 | | TOOLBOX DAKEN 830 X 500 X 470 PLASTIC | UNIVERSAL |
| TOOLBOX1030 | | TOOLBOX DAKEN 1030 X 500 X 480 | UNIVERSAL |
| SACWHEELS003 | | WHEEL SPANNER 30/33MM | UNIVERSAL |
| SACWHEELS004 | | WHEEL SPANNER WITH TOMMY BAR 30/32MM | UNIVERSAL |
| SACWHEELS001 | | WHEEL SPANNER WITH T-BAR 30/27MM | UNIVERSAL |
| SACWHEELS002 | | WHEEL SPANNER WITH T-BAR 21/38MM | UNIVERSAL |
| SACUNI00001 | - | WHEEL SPANNER 35/17MM | UNIVERSAL |
| SACWHEELS005 | | WHEEL SPANNER WITH T-BAR 21/41MM | UNIVERSAL |

Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------|-------|---|-------------------|
| SACWHEELS004WO | | WHEEL SPANNER WITHOUT TOMMY BAR 30/32MM | UNIVERSAL |
| SACTQ30082 | | TOMMY BAR WHEEL SPANNER | UNIVERSAL |
| SACTRAIL0062 | | TOMMY BAR WHEEL SPANNER | UNIVERSAL |
| SACWHEELC001 | | WHEEL CHOCK YELLOW | UNIVERSAL |
| SACWHEELC002 | | WHEEL CHOCK YELLOW 20TON | UNIVERSAL |
| S970032 | | RUBBER WHEEL CHOCK 5TON | UNIVERSAL |
| SACMISC017H | | WHEEL CHOCK HOLDER | UNIVERSAL |
| SACJACK20T | | BOTTLE JACK 20TON | UNIVERSAL |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|----------------------------|-------------------|
| VJ1020 | | BOTTLE JACK 20TON | UNIVERSAL |
| SACTQ30251 | | BOTTLE JACK 30TON | UNIVERSAL |
| SACJACK32T | | BOTTLE JACK 32TON | UNIVERSAL |
| SACJACK50T | | BOTTLE JACK 50TON | UNIVERSAL |
| SACTQ30252 | | BOTTLE JACK 50TON | UNIVERSAL |
| SACJ-STAND3T | | JACK STAND 3TON | UNIVERSAL |
| SACREVBUZ01 | | REVERSE ALARM 12-48V | UNIVERSAL |
| SACJ-BOX | a a a | ELECTRICAL JUNCTION BOX | UNIVERSAL |

Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|----------------|-------|---|-------------------|
| SACLW505 | | STRAP ORANGE 12M X 50MM 5TON | UNIVERSAL |
| SACTQ30003 | | STRAP WHITE NYLON 12M X 50MM | UNIVERSAL |
| SACTQ30003TQ | | STRAP WHITE POLYESTER 12M X 50MM | UNIVERSAL |
| SACTQ30003W4T | | STRAP WHITE NYLON 9M X 50MM | UNIVERSAL |
| SACLW0035TQ | | STRAP ORANGE POLYESTER 9M X 50MM 5TON | UNIVERSAL |
| SACLW0035T | | STRAP ORANGE NYLON 9M 50MM 5TON | UNIVERSAL |
| SACTQ3003W3TQ | | STRAP WHITE POLYESTER 9M X 50MM | UNIVERSAL |
| SACTRAIL501SLP | | STRAP WHITE NO HOOK/TIPPER BELT 3M X 50MM | UNIVERSAL |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|---|-------------------|
| SACUNI00002 | | RATCHET SHORT HANDLE FOR SIDE TIPPER | UNIVERSAL |
| SACR802 | | RATCHET WITH TAIL HOOK SHORT HANDLE 50MM | UNIVERSAL |
| SACRACHET3TQ | | RATCHET WITH TAIL HOOK POLYESTER 50MM | UNIVERSAL |
| SACRACHET4TQ | | RATCHET WITH TAIL HOOK POLYESTER 50MM | UNIVERSAL |
| SACRACHET5T | | RATCHET WITH TAIL HOOK 50MM | UNIVERSAL |
| SACRACHET5TQ | | RATCHET WITH TAIL HOOK POLYESTER 50MM | UNIVERSAL |
| SACRACHET4T | | RATCHET WITH TAIL HOOK 50MM | UNIVERSAL |
| SACTQ30203 | | LOAD BINDER RATCHET TYPE 10MM | UNIVERSAL |

Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|--|-------------------|
| SACTQ30204 | | CHAIN GRAB HOOK 10MM | UNIVERSAL |
| SACTQ30163 | | CHAIN FOR LOADBINDER 9M X 10MM | UNIVERSAL |
| SACTRAIL0010 | | CHAIN 6M X 10MM | UNIVERSAL |
| S980005 | | CARGO CORNER PIECE 1.2M | UNIVERSAL |
| SACTQ30007 | | CARGO CORNER PIECE 1.2M | UNIVERSAL |
| SACTRAIL0060 | | CARGO CORNER PIECE 2.0M | UNIVERSAL |
| SACRUB0403 | | HENRED OE BUMBER D-RUBBER 1000MM | UNIVERSAL |
| SACTQ30240 | | LICENSE DISC HOLDER SINGLE | UNIVERSAL |





| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|---------------|-------|-----------------------------------|-------------------|
| SACCJ30241 | | LICENSE DISC HOLDER DOUBLE | UNIVERSAL |
| SACWT30 | | WHEEL CHECK POINT 30MM | UNIVERSAL |
| SACWT32 | | WHEEL CHECK POINT 32MM | UNIVERSAL |
| SACWT33 | | WHEEL CHECK POINT 33MM | UNIVERSAL |
| SACWT38 | | WHEEL CHECK POINT 38MM | UNIVERSAL |
| SACTQ30221 | | CONTAINER TWIST LOCK SINGLE | UNIVERSAL |
| SACTRAIL30219 | | CONTAINER TWIST LOCK DOUBLE | UNIVERSAL |
| SACTRAIL11 | | 60L TANK STRAP 11 INCH | UNIVERSAL |

Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|---|-------------------|
| SACTQ03028 | | NYLOC NUT M30 | UNIVERSAL |
| 1016283 | | LOCK NUT M30 X 3.5MM | UNIVERSAL |
| 300.098 | | LOCK NUT M30 X 3.5MM | UNIVERSAL |
| SACCROS023BP | | BPW OE U-BOLT LOCK NUT M24 | UNIVERSAL |
| WN355 | | BPW AFTERMARKET U-BOLT LOCK NUT M24 | UNIVERSAL |
| SACTQ03027 | | NYLOC NUT M24 | UNIVERSAL |
| NLN113 | | NYLOC NUT M24 | UNIVERSAL |
| SACTQ03026 | | NYLOC NUT M22 | UNIVERSAL |

•

SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 124



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|--|-------------------|
| SACTQ03023 | | NYLOC NUT M16 | UNIVERSAL |
| SACTQ03022 | | NULOC NUT M14 | UNIVERSAL |
| SACTQ03021 | | NYLOCK NUT M12 | UNIVERSAL |
| SACTRAIL0047 | | ALUMINIUM WASHER 12MM | UNIVERSAL |
| SACFITW001 | | ALUMINIUM WASHER 14MM | UNIVERSAL |
| SACFITW002 | | ALUMINIUM WASHER 16MM | UNIVERSAL |
| SACTRAIL1010 | | BLANKING GROMMET RUBBER 21 X 30 X 34MM | UNIVERSAL |
| SACFITO005A | | HOSE CLAMP 1/2" | UNIVERSAL |

Ts and Cs apply.


Visit www.sactrucks.co.za to locate your nearest branch.



| SAC NO. | IMAGE | DESCRIPTION | SUITABLE FOR I.E. |
|--------------|-------|---|-------------------|
| SACMUL029 | | LOCK LOAD WINCH 5" | UNIVERSAL |
| SACVALVEX250 | | HENRED OE WHEEL EXTENSION FLEX VALVE 250MM | UNIVERSAL |







SAC Commercial Parts LUBRICANTS

2nd Edition



Eurol's products are widely used and tested in the professional motorsport circuit, including the Dakar Rally, the world's largest and toughest rally event.

The Toyota GAZOO Racing Team, the winners of the 2023, 2022 and 2019 Dakar Rally, relies on Eurol's Specialty Products to get them over the finish line. To quote Glyn Hall, Toyota GAZOO Racing Team Manager: "The importance of lubrication is crucial in the world's toughest rally and Eurol has made a proven contribution to our success".

The testing done and data gathered during the Dakar Rally is used for the further development of the Eurol products we use in everyday life. You can have the fullest confidence in Eurol's "Dakar-proven" quality and reliability.





ENGINE OIL

ENGINE OIL DIESEL GUARD MINERAL 15W40

Robust mineral engine oil especially suitable for mixed fleet applications with petrol, LPG and lightly loaded diesel engines, whether or not turbo charged and/or with catalytic converter. This quality amply fulfils the strict norms regarding deposits on piston crowns, in top piston ring grooves and on the rest of the pistons.

F100112-11

E100112-5L

E100112-20LBL

E100112-60L

E100112-210L



BAG IN BOX

ENGINE OIL ACTENCE FULL SYNTHETIC 5W30

E100058-1L F100058-5I

E100058-20LZIL

Fully synthetic engine oil developed for petrol and diesel engines equipped with catalytic converters, as well as turbo charged engines and direct fuel injection systems. This oil offers extremely high protection over prolonged drain intervals. Especially recommended for vehicles where ACEA C4 is prescribed to prevent soot filters from getting blocked. Eurol Actence provides a rapid and stable lubricating film at the cold-start and a high thermal stability under heavy-duty operating conditions.

ENGINE OIL SUPER LITE FULL SYNTHETIC 5W40

Fully synthetic engine oil for petrol and diesel engines, with or without turbo, passenger cars and light commercial vehicles. Also for cars equipped with catalytic converters and direct fuel injection systems. It provides an extremely quick and stable lubricating film at the cold start and offers high thermal stability under heavy duty operating conditions. It offers good wear protection and protects against rust and corrosion, while special additives keep all parts free from deposits.

E100092-1L

E100092-5L

E100092-20LZIL

E100092-210L









ENGINE OIL FLUENCE DXS FULLY SYNTH 5W30

E100076-5L E100076-20L Fully synthetic engine oil developed for Renault petrol and diesel engines equipped with catalytic converters, turbo charged engines and for direct fuel injection systems. It offers an extremely high protection over prolonged drain intervals. Especially recommended for cars where ACEA C4 is prescribed, to prevent soot filters from blocking. Actence provides a rapid and stable lubricating film at the cold start and a high thermal stability under heavy duty operating conditions.

ENGINE OIL ENDURANCE LD SEMI SYNTHETIC 10W40

Semi-synthetic UHPD engine oil enabling long drain intervals in commercial vehicles such as trucks, buses and industrial vehicles. This oil provides an excellent protection against bore polishing and has a superior oxidation and high temperature stability. It increases fuel economy due to excellent additive technology which keep both the oil and the engine clean in an unprecedently way during prolonged drain intervals.

E100117-5L
E100117-20L





ENGINE OIL GEO-MAX SA FULL SYNTHETIC 15W40

E100167-5L E100167-20LZIL Eurol Geo-Max SA 15W40 is a premium low ash engine oil for naturally aspirated and turbocharged four-stroke diesel and gasoline engines operating under heavy service in a wide range of climatic conditions, delivering API CK-4 performance. Eurol Geo-Max SA 15W-40 is fully backwards compatible with API CJ-4, API CI-4+, CI-4 and previous







ENGINE OIL FULL SYNT 10W40 GEO-MAX MOTOR OIL

E100121-20L

A fully synthetic engine oil suitable for modern trucks with radically reduced sulphur, phosphorus and sulphated ash concentrations used to protect the exhaust gas after-treatment systems. Geo-Max 10W-40 can also be used in engines without a diesel particulate filter (DPF), such as older trucks with Euro-3 engines, where ACEA E4, Mercedes 228.5, DAF HP-2 and MAN 3277 are prescribed, as well with Renault RXD when diesel with a low sulfur content is used.

ENGINE OIL TRACTOR ALTRACK 15W40 STOU

This Altrack series is a range of universal, multi-grade tractor oils (Super Tractor Oil Universal) and is especially developed for application in the engine, transmission and hydraulic systems. This range can be used all year round in tractors equipped with oil-immersed disc brakes (wet brakes). It offers perfect protection against corrosion, oxidation and wear under extremely high loads.

E105084-20L





COMPRESSOR OIL ASHLESS MINERAL ISO 46

=118871-201

An ashless mineral compressor oil with a low pour point, anti-wear characteristics and excellent oxidation stability, offering reliable performance of the compressor under all conditions. The compressor is protected against corrosion and the oil provides a clean performance, prevents carbon deposits and has low friction characteristics. This product, with its high thermal stability, has a maximum final stage temperature of 220 °C for centrifugal, piston, rotary screw and sliding vane compressors.





GEARBOX OIL HPZ ZM SYNTHETIC 75W80

E110071-5L

E110071-20LZIL

E110071-60L

E110071-210L

Synthetic 75W80 transmission oil for longer drain intervals. It is suitable for use in both gearboxes and differentials with or without an intarder or retarder, requiring an API GL-4 gear oil. Due to its low pour point shifting at low temperature is made easier, whereas the high viscosity index ensures proper lubrication at high temperature. Its fuel saving properties coupled with meeting the latest specifications for synchromesh rings allow for longer drain intervals.





GEARBOX OIL TRANSYN GL 4/5 SYNTHETIC 75W90

A synthetic transmission/gear oil which can be applied in both manual gearboxes and in final drives where an API GL-4 or -5 quality oil is prescribed. This product significantly reduces the need to stock multiple transmission oils since it can be used for the complete drive line. The special additives will also reduce overall fuel consumption. This oil can be used in synchromesh gearboxes and ensures easy and smooth shifting. It has all the characteristics of an oil that can cope with the extreme pressure levels generated by heavy loads and intense vibrations.

E110075-11

E110075-5I

E110075-20LZIL

E110075-210L





GEARBOX OIL HPG 80W90 TDL GL5

E110630-1L
E110630-5L
E110630-20LZIL
E110630-60L

Performance Gear Oils are mineral gear oils, formulated according to the latest phosphor/sulfur technology, assuring an excellent protection against metal-to-metal contact of the gears under the most severe operating conditions, even under shock loads. The SAE 80W and 85W viscosity grades have excellent low temperature fluidity for an optimum performance during all seasons. Recommended for use in hypoid gears, hub reductions, gearboxes, PTOs and differentials where an API GL-5 is prescribed.

GEARBOX OIL HPG 80W90 TDL GL4/5

A mineral transmission oil that can be used in the drive line of cars, buses and trucks, where an API GL-4 or GL-5 specification is prescribed. It offers excellent stability and high protection levels to gears and synchronizers along the entire drive line. The variety of lubricants one needs to stock is thus thereby reduced. The product has good oxidation stability at high temperatures and offers a perfect solution for a mixed fleet as it can be used during summer and winter months (starting from -25 °C).

F110627-5I







GEARBOX OIL FULTRASYN 75W90 GL4/5

A synthetic transmission/gear oil which can be applied in both manual gearboxes and in final drives, where an API GL-4 or -5 quality oil is prescribed. This product can reduce the stock of transmission oils, since it can be used for the complete drive line. The special additives help reducing fuel consumption. It can be used in synchromesh gearboxes and ensures easy and smooth shifting, showing excellent extreme pressure characteristics to cope with heavy loads and vibrations.

E110076-5L





GEARBOX OIL MINERAL HPG EP SAE 85W90 GL5

E110635-20L E110635-5L Eurol HPG 85W-90 is a mineral gear oil, formulated according to the latest phosphor-sulphur technology. This specialized additive technology guarantees excellent protection against metal-to-metal contact of the gears under the most severe operating conditions, even under shock loads. Eurol HPG 85W-90 contains special additives which deposits a protective oil film for optimum corrosion protection. Eurol HPG 85W-90 has proven itself to have excellent oxidation and thermal stability. Seals are not affected by this product. Eurol HPG 85W-90 is recommended for use in hypoid gears, hub reductions, gearboxes, PTOs and differentials where an API GL-5, MIL-L 2105-D and Mack GO-G are recommended. Eurol HPG 85W-90 can also be applied where MB 235.0 is prescribed.

GEARBOX OIL HPG 80W90 GL5 LSD

Eurol HP Gear Oil LSD is an API GL-5 gear oil with special 'limited slip' inhibitors for hypoid drives and limited slip differentials. The additives in Eurol HP Gear Oil LSD offers optimum protection under heavy-duty operating conditions and heavy shock loads. Its special anti-friction characteristics effectively prevents squeaking and/or vibrations. Moreover, the product's excellent fluidity at low temperatures ensures optimum performance during all seasons. Eurol HP Gear Oil LSD protects against oxidation and ageing; note that seals are not affected by this product. Eurol HP Gear Oil LSD is recommended for hypoid drives, hub reductions, (transfer) gearboxes, PTOs and differentials where an API GL-5 and/or Mil-L-2105-D specs are prescribed. Eurol however advises the use of HPG LSD 2000p for tractors and other off-road applications.

F110634-51







TORQUE FLUID/GEARBOX OIL POWERSHIFT 50 TO -4

Powershift is a high-performance drive line oil, developed for modern demanding 'off-road' applications, as well as for final drives of equipment requiring a CAT TO-4 or Allison C4 specification. The oils are recommended for use in powershift transmissions, manual or automatic transmissions, final drives, hydraulic systems and 'wet brakes' in buses and trucks requiring an Allison C4 specification. It can also be used for earthmoving equipment, agricultural applications and mining industry

E101367-20LZIL



ATF

ATF III G SYNTHETIC

A synthetic automatic transmission fluid, especially developed for new (after 1997) and older (automatic) transmissions. It is also suitable for power steering systems, a number of hydraulic systems and for rotary air compressors where an excellent low temperature fluidity is required. An 'electronically controlled converter clutch (ECCC) test' and a 'sprag wear test' were added to IIIF to upgrade the DEXRON III to meet the latest demands.

E113665-1L

E113665-5L

E113665-20LZIL





GEARBOX OIL ATF 1100 FULL SYNTHETIC

E113661-1L E113661-5L E113661-20LZIL A fully synthetic automatic transmission oil, which is developed for American, Japanese and Korean automatic gearboxes. It is also suitable for most European automatic gearboxes. This 'multi-vehicle' oil is a unique combination of synthetic base oils and state-of-the-art additives, which guarantees all-round, easy shifting. Special friction modifiers ensure that the friction characteristics will not change, even after a long time. It effortlessly meets the drain intervals prescribed by the OEM.





DIFFERENTIAL OIL



DIFF OIL SUPER PREMIUM MINERAL SAE 30

E101170-5L

Eurol Super Premium SAE 30 is a straight mineral motor oil, especially developed for gasoline and diesel engines operating under favorable working conditions.

DIFF OIL HPG EP MINERAL 85W140 GL5

The Multi-Purpose Gear Oil series is formulated from paraffinic base stocks and additives, including EP (Extreme Pressure) additives according to the phosphor/sulfur technology. It is recommended for many types of manual gearboxes and final drives in passenger cars, buses and commercial vehicles and for which an API GL-4 transmission oil is prescribed. A smooth shifting is guaranteed for a long time. Furthermore, the SAE 80W and 80W-90 viscosity grades have an excellent low temperature fluidity.

E110640-1L

E110640-5L

E110640-20LZIL



HYDRAULIC FLUID

HYDRAULIC OIL HYKROL HLP ISO 68 MINERAL

Hykrol HLP 'anti-wear' oils are especially developed for application in all kinds of hydraulic systems. These oils reduce pump wear to a minimum and contribute to a long equipment lifetime. It is suitable for the lubrication of vacuum pumps and moderately loaded gearboxes, protecting against wear, corrosion and rust formation. It also has excellent water demulsifying properties.

E108730-5L

E108730-20LBL

E108730-210L









HYDRAULIC OIL TRACTOR ALTRACK MULTI 10W30

E105075-5L E105075-20L Eurol's Altrack series is a range of universal, multi-grade tractor oils especially developed for application in the engine as well as transmission and hydraulic systems. It can be used year-round in tractors equipped with oil immersed disc brakes (wet brakes) and offers ideal protection against corrosion, oxidation and wear under extremely high loads.

HYDRAULIC OIL POWERSHIFT LSA 10W

Eurol Powershift LSA (Low Sulfated Ash) 10W is a high-performance drive line oil developed for modern, demanding "off-road" applications as well as for trucks requiring a Caterpillar TO-4 or Allison C-4 performance specification. It is blended from highly refined mineral base oils and a specially developed additive package which results in excellent friction and wear protection as well as oxidation stability. This Product is recommended for use in powershift and hydrostatic transmissions, manual gearboxes and automatic transmissions, differentials and final drives, hydraulic systems and 'wet brake' mechanisms. Applications: buses and trucks with Allison manual, power shift and automatic transmissions. Off-highway application: earthmoving equipment, agricultural applications and mining industry. (The OEM recommend viscosity grade should always be followed).

E101249-20L





EUROL TRANSMISSION HYKROL JD 68 UTTO

E105820-5L E105820-20L The Hykrol UTTO series is especially developed for transmissions of combined bulldozer, tractor and other agricultural devices, fluid clutches, power steering, hydraulic systems and torque converters. It has favorable friction characteristics and is therefore exceptionally suited for 'wet brake' systems in so far as preventing so-called 'stick slip'. It has a high viscosity index, a very durable oil film and good EP- and anti-wearing properties, protecting against corrosion, oxidation and foam building.









PENTOSIN OIL POWERSTEERING FLUID C

113675-1L

Power steering Fluid type C is a fully synthetic hydraulic fluid, especially developed for hydraulic systems like levelling systems and power steering systems in tractors, passenger vehicles and commercial vehicles. Due to the high viscosity index and a very low pour point, the viscosity will barely change under varying temperatures. Because of the high boiling point and its water resistance, the product can be applied for a long-lasting and safe use when this type of fluid is prescribed.

GREASE

EUROL MOLYBDENUM DISUPPHINE MoS2 GREASE

Molybdenum Disulphide Grease is a multipurpose grease with MoS2 for Constant-Velocity (homokinetic) joints. Also recommended for the lubrication of heavily loaded plain bearings, chassis lubrication points, earthmoving equipment and agricultural machinery. It is based on mineral base oils, lithium soap thickener and molybdenum disulphide. The latter forms a chemical layer on metal surfaces which reduces friction to a minimum. It has good mechanical stability, resulting in a long lifetime.

E901070-4000





DISH GREASE EP2 - 5TH WHEEL

E901475-20KG E901475-50KG Dish Grease EP 2 is formulated from high viscosity refined base oils. It is developed for lubricating points which are exposed to water. This grease surpasses the water-repellent and temperature properties of a typical calcium based grease and has the excellent mechanical stability of a lithium based grease. It has a good pumpability in grease guns and does not affect rubber materials. Dish Grease EP 2 is highly adhesive to metal surfaces and extremely suitable for dish lubrication of trucks.





GREASE BALL BEARING EP2 600G

Eurol Ball Bearing Grease with NLGI 2 consistency is especially developed for the lubrication of ball and roller bearings of motorcycles, mopeds and bicycles. It is water-repellent and offers a good resistance against oxidation. Moreover, the product has excellent sealing capabilities and good mechanical stability. As it is highly adhesive, the grease reduces bearing wear to a minimum and protects all parts from corrosion.

E901210-600G





EUROL GREASE BLUE STAR HIGH TEMP EP2

E901304-400G E901304-15KG E901304-20KG

Especially suited to wheel bearings and wheel hubs of trailers and caravans.

EUROL LITHIUM GREASE EP 0

Heavy-duty central lubricating grease with good pumpability.



BRAKE FLUID

BRAKE FLUID DOT 4 FULL SYNTHETIC

Eurol Brake Fluid DOT 4 is a high-performance product, especially developed for hydraulic brake systems of passenger cars, commercial vehicles, mopeds, scooters, forklift trucks and motorcycles. It is suitable for both drum E801400-1L brake and disc brake systems; with and without ABS/ASR. Due to the lubricating capacity of this brake fluid, wear is reduced to a minimum. The product guarantees excellent performance under cold climate conditions resulting from its low viscosity at low temperatures.

E801400500ML







JBRICANI

ANTIFREEZE

ANTIFREEZE BS 6580 CONCENTRATE

Blue Coolant meets the BS6580 standard recommended for all cooling systems of combustion engines and other heat transfer systems. Based on ethylene glycol and formulated according to European car manufacturers instructions, the pre-diluted cooling fluid contains additives, protecting against E503150-20LNAT corrosion and foam-building. It is completely safe for rubbers, plastics, metals, aluminium and alloys and provides a permanent, guaranteed protection against freezing up to temperatures of -26°C/-36°C.

E503150-1L

E503150-5L



ANTI FREEZE COOLANT BS 65880 PROTECTION -36c



E504105-1L E504105-20LNAT Blue Coolant meets the BS6580 standard recommended for all cooling systems of combustion engines and other heat transfer systems. Based on ethylene glycol and formulated according to European car manufacturers instructions, the pre-diluted cooling fluid contains additives, protecting against corrosion and foam-building. It is completely safe for rubbers, plastics, metals, aluminium and alloys and provides a permanent, quaranteed protection against freezing up to temperatures of -26°C/-36°C.

SPRAY LUBRICANTS

EUROL CERAMIC GREASE SPRAY 400ML



Eurol Ball Bearing Grease with NLGI 2 consistency is especially developed for the lubrication of ball and roller bearings of motorcycles, mopeds and bicycles. It is water-repellent and offers a good resistance against oxidation. Moreover, the product has excellent sealing capabilities and a good mechanical stability. As it is highly adhesive, the grease reduces bearing wear to a minimum and protects all parts from corrosion.





EUROL CHAIN LUBE SPRAY CROSS & OFF ROAD 400ML

Eurol Chain Lube Spray Cross & Off Road is a chain spray with Triple-Tech additive technology, especially developed for chains operating in dusty or wet conditions. It provides highly effective protection against wear and tear, ensuring extended and lasting protection of the sprockets and the chain.

E701314





EUROL COPPER GREASE SPRAY 400ML

F701130

Eurol Copper Grease Spray is a multi-purpose sprayable grease with a wide temperature range that reduces wear on parts that are subjected to extreme pressure and to counter pitting, thread deformation and galling due to corrosion and chemical exposure. Eurol Copper Grease Spray is formulated with a high quality bentonite grease with solid material copper.



Eurol PTFE Super Lube Spray is especially developed to reduce friction and wear. It is dirt- and moisture repellent. Squeaking and creaking noises, caused by 'Stick-slip' are prevented by Eurol PTFE Super Lube Spray. Moreover, it provides protection for cables, chains, derailleurs, gears, hinges, metals and plastics.

701460





EUROL MULTI-LUBE MD 50 SPRAY 400ML

Eurol Multi Lube MD 50 Spray penetrates deeply, protects metals, makes sticky parts run smoothly and makes plastics become like new. Eurol Multi Lube MD 50 Spray removes oil, grease, tar and adhesives. It prevents moisture from penetrating into ignition parts, distributor and spark plug cables.







EUROL SILICONE MULTI SPRAY 400ML

E701320

Eurol Silicone Multi Spray offers a unique lubrication. It keeps chains, derailleur hinges, locks, plastics and rubbers running smoothly. It is dirt-repellent, makes rubber water-tight, prevents icing, corrosion and drying-out of rubber. The product is acid free and leaves a shiny, protective layer.

EUROL SKALA 05 LUBE SPRAY 400ML

Eurol Skala 05 Lube Spray is a high performance lubricant for heavy duty bearings and open gears. Bitumen-free and extremely suitable for roller and plain bearings. Due to the Zn-technology developed by Eurol, this lubricant offers very good anti-corrosion and water-repellent properties.

F701170



STOP LEAK



EUROL RADIATOR SEALER

802317-250ML

Eurol Radiator Sealer protects from leaks in the head gasket, heater core, radiator, heater matrix, freeze plug and water pump casing. This sealer postpones radiator repair for up to one year and can be applied in liquid cooled engines of cars, motorbikes, commercial vehicles and agricultural machinery. It can also be applied as preventive action to ensure the good condition of the cooling system. No draining or flushing of the cooling system is required.

EUROL TRANSMISSION STOP LEAK

Eurol Transmission Stop Leak is an additive developed to swell and revitalize seals and O-rings to stop leaks in automatic transmissions where ATF is used. Eurol Transmission Stop Leak prevents further leaks in order to avoid reduced transmission oil level as well as to avoid contamination of the soil or the ground water. It does not contain solvents or solids and not only swell the seals but keeps them elastic too. Eurol Transmission Stop Leak is compatible with all mineral and synthetic transmission oils.

E802320-250ML











EUROL ENGINE STOP LEAK

802312-250ML

Eurol Stop Leak is an additive developed to swell and revitalize seals and O-rings to stop leaks in diesel, LPG and petrol engines. It is compatible with all mineral and synthetic, single- and multigrade oils. It does not contain solvents or solids and does not only swell the seals but keeps them elastic too.

ADDITIVES

EUROL POWER STEERING FLUSH

Eurol Power steering Flush is an oil additive that cleans dirty power steering E802319-500ML systems which in turn will extend the life of the system. After flushing the power steering system with this additive, the steering will feel crisp and precise. Eurol Power steering Flush removes varnish and deposits without softening seals or gaskets. The debris and deposits are dissolved by the additive without the use of an aggressive solvent. Regular usage of Eurol Power steering Flush will aid in preventing sluggish steering in cold weather, steering noise, difficult steering, leakage through hardened seals and reduction of steering effectiveness.





EUROL ENGINE FLUSH

Eurol Engine Flush is an additive developed to clean dirty engines which will extend the life of an engine. After flushing an engine both the throttle response and the acceleration will increase. It is added to the old fluid at operating temperature and is left to circulate through the engine. Engine Flush uses the old oil as a delivery mechanism where the additive gradually and thoroughly removes deposits from the engine, removing them from the engine by draining the old oil.

EUROL TRANSMISSION FLUSH

Eurol Transmission Flush is developed to remove deposits from the cooling lines, E802311-500ML cooler, torque converter and other transmission parts in order to achieve a clean transmission which will extend the life of a transmission. While not containing aggressive solvents, the flush effectively removes contaminants, debris and varnish while leaving the transmission unharmed. Eurol Transmission Flush is recommended for use at every transmission fluid change in 8L to 12L of transmission oil.











AD BLUE EURO 4 ON - WITH SCR

E301200-5L E301200-10L Eurol AdBlue is a clear liquid, suitable for the treatment of exhaust gases in order to ensure that emission standards are met. By using Eurol AdBlue in the SCR-system, the NOx is converted to harmless water and nitrogen due to a chemical reaction. For proper functioning of your SCR system you must ensure that you only use high quality AdBlue. Eurol AdBlue should be stored at temperatures of between -11°C and + 30°C to ensure a shelf life of one year.

EUROL ENGINE OIL TREATMENT

Eurol Engine Oil Treatment is an additive developed to provide a thicker and more tenacious oil film between moving engine parts. It aims to prevent metal-to-metal contact in the engine using high-tech additives which increase the oxidative stability of the engine oil, allowing the engine to run at higher temperatures. This treatment is formulated to improve engine oil efficiency by dramatically reducing friction, increasing power output, increasing fuel economy and reducing emissions.

E802315-250ML





ATF TREAT PLUS

802322-500ML

Eurol Engine Oil Treatment is an additive developed to provide a thicker and more tenacious film of oil between moving engine parts. It prevents metal-to-metal contact in the engine by using high-tech additives which increase the oxidative stability of the engine oil, allowing the engine to run at higher temperatures. This treatment is formulated to improve engine oil efficiency by dramatically reducing friction, increasing power output, increasing fuel economy and reducing emissions.

CLEANERS



EUROL BRAKE CLEANER SPRAY 500ML

E701445-CP9

Eurol Brake Cleaner Spray is a special spray for a rapid and efficient degreasing and cleaning of brakes, brake linings, brake discs, engine parts, contacts points, spark plugs, chains and metals. Plastics should not be cleaned with this product.





EUROL DEGREASER HF BIO

Eurol Degreaser Bio HF has been formulated from strong acting emulsifiers and solvents with a low evaporation loss. Eurol Degreaser Bio HF is recommended for a rapid conversion of new cars, cleaning of motor parts, filters, machines, engine rooms, tanks and floors. Furthermore, it can also be used for cleaning greasy floors and walls. It will not leave a greasy layer after flushing with water. As the product has a neutral pH-value, it can be used on all surfaces. Eurol Degreaser Bio HF evaporates relatively slowly and is biodegradable.

E302140-5





EUROL BRAKE CLEANER

E302520-5LBLIK

Eurol Brake Cleaner Special is a chlorine-free, fast drying degreaser for a rapid and efficient degreasing and cleaning of brake drums, brake shoes, brake discs, clutch parts, engine blocks, etc. It also prevents brakes from squeaking. Besides the cleaning of brake parts, Eurol Brake Cleaner Special can also be used for a fast and uncomplicated cleaning of electrical and magnetic contacts (interruptor and spark plugs) and other parts. Eurol Brake Cleaner Special effortlessly removes grease, silicones, asbestos and oil from brake discs and engine parts. Plastics should not be cleaned with this product.

EUROL CONTACT CLEANER SPRAY 400ML

Eurol Contact Cleaner Spray is a powerful solvent cleaner for cleaning and degreasing of electrical components and other precision metal parts like sensors, relays and print boards. The spray is composed of inert and pure solvents so it has no affect on plastics and metals.

F70146



EUROL EGR CLEANER SPRAY 400ML

E701120

Eurol EGR Cleaner is developed for the removal of excess carbon deposits from the inside of EGR valves. These are installed in vehicles to reduce NOx emissions. If the EGR valve is stuck in the closed position, the engine will have excessive NOx-emissions and will automatically reduce power. The aerosol can be used for cleaning the EGR valve to smooth a rough idle or hesitant acceleration and to reduce knocking.







EUROL PENETRATING OIL SPRAY 400ML

E701300

Eurol Penetrating Oil Spray quickly loosens rusted parts, thanks to the deep penetrating properties. It contains molybdenum disulfide for lubrication and active inhibitors to resist corrosion.

EUROL DIESEL INJECTION CLEANER

Eurol Diesel Injection Cleaner consists of concentrated deposit control components that dissolve and remove harmful deposits from the fuel injectors, including carbon, varnish and gum deposits. It is formulated to unclog dirty fuel injectors and restore overall engine performance.

Additional benefits include the revival of lost power, improved acceleration, the elimination of rough starts and uneven idling as well as a reduction of emissions.

E802492-250ML



Andy A be referred to the CLEANER PLUS

EUROL DIESEL DPF CLEANER PLUS

802498-250ML

Eurol DPF Cleaner Plus enables the Diesel Particulate Filter (DPF) to regenerate more easily when it has a higher-than-usual soot loading. DPFs clog up due to the quality of the fuel and engine oil, driving style or urban driving. A DPF-equipped vehicle is programmed to regenerate the DPF as soon as the exhaust gets hot enough to reach the DPF regeneration temperature, approximately 600°C. Eurol DPF Cleaner Plus uses a fuel-borne catalyst to lower this temperature to 400°C, making it easier for the carbon particles to oxidize. This will reduce exhaust gas backpressure, allow the turbo to spool up faster and subsequently increase fuel economy. Eurol DPF Cleaner Plus is recommended if the DPF warning light comes on, if not the DPF might have to be replaced or removed to be fully cleaned, at high cost. Add 250ml of Eurol DPF Cleaner Plus for every 35 - 65L of diesel. Once added take the vehicle for a longer trip (>50km) while frequently keeping the engine above 2.500 to 3.000 RPM for 30 seconds. Eurol DPF Cleaner Plus is not suitable if your vehicle is equipped with a CRT (Continuously Regenerating Trap) system.



145



CONSUMABLES

EUROL SCREEN WASH CONCENTRATE LEMON

Eurol Screen wash Lemon prevents the windshield washer E502260-500ML system from freezing and is an excellent cleaner for dirty windshield. This winter formulation is safe for polycarbonate windshields and dries without leaving smeary stripes. Moreover, the product is non-corrosive, not harmful and has a flash point E502260-5LZW of >23°C so it can be applied safely.

E502260-1L





EUROL BATTERY ACID

Battery Acid contains 37% sulfuric acid and is suitable for every brand of battery. For topping-up batteries always use demineralized water. Lead batteries are filled with sulfuric acid, density 1.28 kg/l.



Demi Water is demineralized water from which all salts and other impurities have been removed. Because of this, our demi water will not form scale deposits so blockages will be avoided and optimal E301190-5L heat-transfer can take place. It is used in several production processes as well as in steam-irons, batteries, air-humidifiers and in laboratories.



EUROL CAR & TRUCK WASH CONCENTRATE

Eurol Car & Truck Wash is a safe, concentrated detergent. Eurol Car & Truck Wash can be used for cleaning trucks and passenger cars, buses and trains. It is extremely suitable for high-pressure cleaners, foam tanks and foam-lances. Eurol Car & Truck Wash has no aggressive effect on the skin and is biodegradable. NB Store above 0 °C. It is recommended to wear safety goggles when using Eurol Car & Truck Wash.





EUROL CARWASH CONCENTRATE WASH & SHINE

Eurol Carwash is a highly concentrated, synthetic shampoo. It is safe to use on lacquer, rubber, plastic and chrome of cars, motorcycles and boats. Eurol Carwash is excellent for hand applications as well as for car washes and high-pressure cleaners. Due to the strong cleaning capability even heavily soiled surfaces get a beautiful shine with Eurol Carwash without the need for a chamois after-treatment.

E602100-500ML





EUROL COCKPIT CLEANER SPRAY SILICON FREE 400ML

E701485

Eurol Cockpit Cleaner Spray cleans and protects the dashboard and other plastic parts in the vehicles. This spray is silicone-free and has excellent cleaning and dirt repelling properties.

EUROL HAND CLEANER WHITESTAR

Eurol Hand Cleaner Whitestar is a solvent-free high quality hand cleaner with excellent skin reconditioning properties. Due to the pH-neutral character of the product it will prevent skin irritation. Eurol Hand Cleaner Whitestar is made with Jojoba esters, Aloë Vera extracts, Lanoline derivates and an environment friendly abrasive based on polymers. Eurol Hand Cleaner Whitestar is dermatologically tested and biodegradable. It is suitable for the removal of lubricants, brake fluids, fuels and greases. Store above 0°C

E601440-600ML
E601440-4.5L

HAND
CLEANER
COLORVISORYAN

HAND
CLEANER
COLORVISORYAN

LIMITATION OF THE PROPERTY OF THE PROPERTY



147



EUROL SURFACE CLEANER FLOOR CLEANER

Eurol Surface Cleaner is a safe, concentrated detergent. Eurol Surface E602190-20LNAT Cleaner is solvent-free and contains soaps for the effortless cleaning of a wide spectrum of pollutants. Eurol Surface Cleaner has no aggressive effect on the skin. Store above 0°C







Eurol Hand Cleaner Yellow Star is a dermatologically tested hand cleaner for heavily soiled hands. It is particularly suitable for use in garages, workshops and in industrial settings - easily removing heavy pollutants like grease, oil, rust, paint and ink. This hand cleaner not only has a finer abrasive which is less harsh on the skin, it also contains Aloe Vera and Jojoba Oil to prevent hands from drying out. Because of the low viscosity of this gel-like product, it is easily pumpable and also effortlessly lathers.

EUROL HAND CLEANER YELLOW STAR REFILL

Refer above.









2nd Edition

SMF up to 80 Amp Hours





| IMAGE | SAC NO. | TERMINAL POS. |
|-------|-------------|---------------|
| | Q+BAT615SMF | |
| | | |



BATTERY 615SMF 36AMP

Recommended for i.e. CHEV SPARK 1.0 2005-2010

HYUNDIA ATOS 1.1i 1999-2004 KIA PCANTO 1.0 2016-TOYOTA AVANZA 1.3; 1.5SX 2015-



Q+BAT616SMF



BATTERY 616SMF 36AMP

Recommended for i.e.

CHEV SPARK 0.8 LITE 2010 -HONDA JAZZ 1.4 V-TEC 2008 - 2011 HYUNDAI ATOS 1.1i 2005 -SUZUKI SHIFT 1.2: 1.4; 1.6 2016 -



Q+BAT619SMF



BATTERY 619SMF 40AMP

Recommended for i.e.

CITROEN C1 1.0 12V 2006 -FIAT 500 2015 -FORD FIESTA 1400;1600 2000 -2002 FORD FOCUS 1.0 ECO BOOST 2016 -



Q+BAT628SMF



BATTERY 628SMF 50AMP

Recommended for i.e.

FORD FOCUS 1.6 Ti-VCT 2011-HYUNDAI I20 1.4CRDI 2016-KIA RIO 1.4 2005-2010 OPEL ASTRA 1.6 2010-



Visit www.sactrucks.co.za to locate your nearest branch. Ts and Cs apply.



SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 150

SMF up to 80 Amp Hours





| IMAGE | SAC NO. | TERMINAL POS. |
|-------|-------------|---------------|
| | Q+BAT622SMF | |



BATTERY 622SMF 55AMP

Recommended for i.e. CHEV AVEO 1.5LS 2003-ISUZU KB 200 1999-2004

JEEP WRANGLER 3.6 2006-NISSAN HARDBODY 2400i 2002-





Q+BAT646SMF

BATTERY 646SMF 60AMP

Recommended for i.e.

NISSAN CABSTAR, HILUX Diesel All Models ≥ 2007 QUANTUM 2.7 ≥ 2015 etc.





Q+BAT638SMF

BATTERY 638SMF 65AMP

Recommended for i.e.

NISSAN CABSTAR, HILUX Diesel All Models ≥ 2007 QUANTUM 2.7 ≥ 2015 etc.





Q+BAT639SMF

BATTERY 639SMF 65AMP

Recommended for i.e.

ISUZU NQR 500 ISUZU FRR 500 ISUZU NPR 300/400 etc.





SMF 80 - 100 Amp Hours





| IMAGE | SAC NO. | TERMINAL POS. |
|----------------------------------|---|---------------|
| SATTERIES 652 Mar SAN TAY 75 AA | Q+BAT652SMF BATTERY 652SMF 75AMP Recommended for i.e. TOYOTA HILUX Petrol All Models ≥ 2007 TOYOTA HILUX 2.5 Diesel ≥ 2005 HINO 300 ≥ 2014 etc. | 8.0 |



Q+BAT657SMF

BATTERY 657PS 75AMP

Recommended for i.e.

TOYOTA HILUX/RAIDER Diesel ≥
1994
UD40/60/70/80/90/100
TOYOTA LANDCRUISER VX200
HINO 500 etc.





Q+BAT650SMF

BATTERY 650SMF 80AMP

Recommended for i.e. TOYOTA/HINO LK360





Q+BAT668SMF

BATTERY 668PS 80 AMP

Recommended for i.e.
TOYOTA FORTUNER 3.0D ≥ 2005
FORD RANGER 3.2D ≥ 2011 etc.





Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



SMF 80 - 100 Amp Hours





IMAGE SAC NO. TERMINAL POS.



Q+BAT669SMF

BATTERY 669PS 80AMP

Recommended for i.e.

ISUZU KB DIESEL ALL MODELS 2007> ISUZU KB 250 + 300 2013> ISUZU KB 250 + 300 D-TEQ 2015>







SMF 100 - 150 Amp Hours





| SAC NO. | TERMINAL POS. |
|---------|---------------|
| | SAC NO. |



Q+BAT658SMF

BATTERY 658SMF 100AMP

Recommended for i.e.

MERC SPRINTER 602 ISUZU FDM 1200 ≥ 2008 etc.





Q+BAT659SMF

BATTERY 659SMF 100AMP

Recommended for i.e.

FORD EVEREST 2.2 TDCI 2016> FORD FOCUS RS 2016> LAND ROVER DEFENDER 1995> etc.





Q+BAT674SMF

BATTERY 674SMF 100AMP

Recommended for i.e.

DAF F800 Series 2012 - 2016 DAF FA2500 Series 2012 - 2016 TOYOTA DYNA Diesel 1982 - 1985 ISUZU F5/8/9000D ≥ 1993 etc.





Q+BAT1151SMF

BATTERY 1151 105AMP

Recommended for i.e.

FREIGHTLINER ALL 2007 - 2013 FREIGHTLINER ALL ≥ 2014 FREIGHTLINER ARGOSY ALL etc.





SMF 100 - 150 Amp Hours





| IMAGE | SAC NO. | TERMINAL POS. |
|-------|---------|---------------|
| | | |



Q+BAT1150SMF

BATTERY 1150 105AMP W/THREAD

Recommended for i.e.

FREIGHTLINER ALL 2007 - 2013

FREIGHTLINER ALL ≥ 2014

FREIGHTLINER ARGOSY ALL etc.






Q+BAT683SMF

BATTERY 683SMF 120AMP

Recommended for i.e.

SCANIA 793/794 ≥ 1997 SCANIA BUS RANGE ≥ 1997 SCANIA All Models ≥ 2001 etc.






Q+BAT690SMF

BATTERY 690SMF 135AMP

Recommended for i.e.

MAN 9 Series 1980 - 1992 ISUZU VHZ/VPZ 441 1983 - 1986 etc.






Q+BAT689SMF

BATTERY 689SMF 143AMP

Recommended for i.e.

VOLVO D12C F12 ≥ 1994 B7 & B10 BUS Range B12 Coach Range ≥ 1994 etc.





SMF 150 Amp Hours & Higher





| IMAGE | SAC NO. | TERMINAL POS. |
|-------|---------|---------------|

Q+BAT696SMF




BATTERY 696SMF 180AMP

Recommended for i.e.

VOLVO FM/FM400, FH440,
FH480 ≥ 2006

VOLVO FMX400 ≥ 2010

MAN TGA RANGE
All Models ≥ 2005 etc.






Q+BAT688SMF-4

BATTERY 688SMF-4 200AMP

Recommended for i.e. VOLVO FH13 etc






Q+BAT688SMF-5

BATTERY 688SMF-5 200AMP

Recommended for i.e. VOLVO FH13 etc






Q+BAT695SMF

BATTERY 695SMF 225AMP

Recommended for i.e. SCANIA ≥ 2001 HINO 700 ≥ 2014 etc.





Visit www.sactrucks.co.za to locate your nearest branch.

Ts and Cs apply.



SAC Master Catalogue JCV Template 2022 - FRANCOIS.indd 156



Why Purchase Our Parts?

QUALITY

At SAC, quality is non-negotiable. We understand that to build a sustainable company that will carry into the next generation, the quality of the product must survive long after the pain of the purchase has faded away. Which is why developing lasting relationships with both local and global industry experts who can guarantee compatibility and availability of quality replacement parts is so important. Examples of such partnerships are the ones SAC has forged with Mansons in India as well as Diesel Technic (DT) in Germany; one of the largest suppliers of automotive parts and accessories in the world and a company that shares the same values regarding the importance of quality. We are proud to be the only DT Premium Partner in South Africa and one of only a handful in the world. All DT parts carry a 24-month warranty.

SERVICE

Our company is built on a philosophy of service excellence. This approach rings true for all levels of employees, including our management team. At SAC we literally eat, dream, sleep and breathe customer service. Everything we do is geared to ensure that our customers get their parts in the shortest possible time. You are welcome to put us to the test!

AVAILABILITY

SAC's objective is to stock a complete range of parts suitable for all leading European and Japanese heavy and medium commercial vehicles as well as batteries and lubricants for every application. That is why all 19 branches carry a wide range of stock on site. Stock levels are augmented by next-day-deliveries from our main Warehouse to the branches as well as a countrywide network of service providers to assist in the event of remote breakdowns.

COMPETITIVE PRICING

SAC has a robust procurement department that works non-stop to ensure that parts are sourced at best quality and price. They also receive regular feedback from the sales teams at the branches regarding parts that are not priced competitively. This information is passed on to our suppliers to ensure that our pricing continuously improves to benefit our customers without compromising on quality.

Please visit www.sactrucks.co.za to learn more about us.





Where are the branches located?

We have 19 branches nationally, all conveniently located along the main routes of South Africa: Polokwane, Mbombela (Nelspruit), Durban, Middelburg, Pomona, Boksburg, Vereeniging, Alrode, Centurion, Klerksdorp, Welkom, Bloemfontein, Gqeberha (Port Elizabeth), Cape Town, Krugersdorp, Paarl, East London, Richards Bay & Newcastle.

What are the business hours?

We are a 24/7 operation. Most of our branches are open to the public between 7h00 and 16h45 Mondays to Fridays and between 8h00 and 13h00 on Saturdays, but it is advisable to confirm with your nearest branch as times may vary. Outside of normal business hours we have teams on stand-by to assist in emergencies and further support is provided on a call-out basis as and when necessary.

Are replacement parts manufactured to OE specifications?

Both our local and overseas suppliers are sourced specifically with this in mind. Our parts also undergo rigorous testing and are certified accordingly.

Does SAC Commercial Parts provide any technical services or support?

Our in-house Brand Managers have vast industry experience and can address all your technical queries. We also have a state-of-the-art workshop in Centurion that services and repairs all large and medium European and Japanese commercial vehicles. We further engage in engineering and reconditioning, manufacturing, Dynamometer diagnostics as well as Injector refurbishment and testing.

What is the company's delivery policy?

We can and do accommodate our customers in this regard if it is economically feasible. In certain instances, we might arrange alternative delivery methods and timelines if the delivery address is remote or inaccessible.

Do parts come with a Guarantee?

Yes. Parts are tested internationally, but are guaranteed locally, for up to 24 months if you buy a battery or a part supplied by Diesel Technic, our long-standing distribution partner and a leading global supplier of quality replacement parts.





DISCLAIMER

Product availability is subject to change without notice. Whilst every effort is made to provide the most accurate, up-to-date product information, occasionally technical or typographical inaccuracies could occur. In certain instances, product images are for illustration purposes only and may possibly not be an exact representation of a product code.

SAC Commercial Parts Group does not accept responsibility or liability for any losses or damages of any kind arising from decisions made based on information contained here within. The onus is on the persons receiving the information to make their own determination as to a part's suitability prior to purchase.

















